



Commercial / Industrial Pricing Guide





Panels

| | |
|--------------------|----|
| PBR / PBU | 3 |
| AVP | 5 |
| PBR With Drip Stop | 7 |
| PBC / PBD | 9 |
| 7.2 Panel | 11 |
| Retro-R® | 13 |

Accessories



| | |
|---------------------------------------|----|
| Cees and Zees | 15 |
| Channels | 19 |
| Angles and Eave Struts | 20 |
| Custom Structural Shapes | 23 |
| LiteFrame®, Furring Zee and Strapping | 24 |
| Roof Hugger | 26 |
| Light Transmitting Panels | 26 |
| Ventilators | 29 |
| Ridge Caps | 30 |
| Roof Jacks | 31 |
| Closure Strips | 32 |
| Windows | 34 |
| Doors | 35 |
| Sealant | 36 |
| Paint | 37 |
| Blanket Insulation | 38 |
| Reflective Insulation | 39 |
| Eye Bolts and Washers | 40 |
| Machine Bolts and Purlin Clip | 41 |
| Slide Door Hardware | 42 |
| Flat Sheets | 44 |

Trim

| | |
|----------|----|
| All Trim | 45 |
|----------|----|





PBR / PBU Panels



NUMBER OF SQUARE FEET PER PANEL

| | 0" | 1" | 2" | 3" | 4" | 5" | 6" | 7" | 8" | 9" | 10" | 11" |
|---------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 FT. | 3.19 | 3.45 | 3.72 | 3.98 | 4.25 | 4.52 | 4.78 | 5.05 | 5.31 | 5.58 | 5.84 | 6.11 |
| 2 FT. | 6.38 | 6.64 | 6.91 | 7.17 | 7.44 | 7.70 | 7.97 | 8.23 | 8.50 | 8.76 | 9.03 | 9.30 |
| 3 FT. | 9.56 | 9.83 | 10.09 | 10.36 | 10.62 | 10.89 | 11.16 | 11.42 | 11.69 | 11.95 | 12.22 | 12.48 |
| 4 FT. | 12.75 | 13.02 | 13.28 | 13.55 | 13.81 | 14.08 | 14.34 | 14.61 | 14.87 | 15.14 | 15.41 | 15.67 |
| 5 FT. | 15.94 | 16.20 | 16.47 | 16.73 | 17.00 | 17.27 | 17.53 | 17.80 | 18.06 | 18.33 | 18.59 | 18.86 |
| 6 FT. | 19.13 | 19.39 | 19.66 | 19.92 | 20.19 | 20.45 | 20.72 | 20.98 | 21.25 | 21.51 | 21.78 | 22.05 |
| 7 FT. | 22.31 | 22.58 | 22.84 | 23.11 | 23.37 | 23.64 | 23.91 | 24.17 | 24.44 | 24.70 | 24.97 | 25.23 |
| 8 FT. | 25.50 | 25.77 | 26.03 | 26.30 | 26.56 | 26.83 | 27.09 | 27.36 | 27.62 | 27.89 | 28.16 | 28.42 |
| 9 FT. | 28.69 | 28.95 | 29.22 | 29.48 | 29.75 | 30.02 | 30.28 | 30.55 | 30.81 | 31.08 | 31.34 | 31.61 |
| 10 FT. | 31.88 | 32.14 | 32.41 | 32.67 | 32.94 | 33.20 | 33.47 | 33.73 | 34.00 | 34.26 | 34.53 | 34.80 |
| 11 FT. | 35.06 | 35.33 | 35.59 | 35.86 | 36.12 | 36.39 | 36.66 | 36.92 | 37.19 | 37.45 | 37.72 | 37.98 |
| 12 FT. | 38.25 | 38.52 | 38.78 | 39.05 | 39.31 | 39.58 | 39.84 | 40.11 | 40.37 | 40.64 | 40.91 | 41.17 |
| 13 FT. | 41.44 | 41.70 | 41.97 | 42.23 | 42.50 | 42.77 | 43.03 | 43.30 | 43.56 | 43.83 | 44.09 | 44.36 |
| 14 FT. | 44.63 | 44.89 | 45.16 | 45.42 | 45.69 | 45.95 | 46.22 | 46.48 | 46.75 | 47.01 | 47.28 | 47.55 |
| 15 FT. | 47.81 | 48.08 | 48.34 | 48.61 | 48.87 | 49.14 | 49.41 | 49.67 | 49.94 | 50.20 | 50.47 | 50.73 |
| 16 FT. | 51.00 | 51.27 | 51.53 | 51.80 | 52.06 | 52.33 | 52.59 | 52.86 | 53.12 | 53.39 | 53.66 | 53.92 |
| 17 FT. | 54.19 | 54.45 | 54.72 | 54.98 | 55.25 | 55.52 | 55.78 | 56.05 | 56.31 | 56.58 | 56.84 | 57.11 |
| 18 FT. | 57.38 | 57.64 | 57.91 | 58.17 | 58.44 | 58.70 | 58.97 | 59.23 | 59.50 | 59.76 | 60.03 | 60.30 |
| 19 FT. | 60.56 | 60.83 | 61.09 | 61.36 | 61.62 | 61.89 | 62.16 | 62.42 | 62.69 | 62.95 | 63.22 | 63.48 |
| 20 FT. | 63.75 | 64.02 | 64.28 | 64.55 | 64.81 | 65.08 | 65.34 | 65.61 | 65.87 | 66.14 | 66.41 | 66.67 |
| 21 FT. | 66.94 | 67.20 | 67.47 | 67.73 | 68.00 | 68.27 | 68.53 | 68.80 | 69.06 | 69.33 | 69.59 | 69.86 |
| 22 FT. | 70.13 | 70.39 | 70.66 | 70.92 | 71.19 | 71.45 | 71.72 | 71.98 | 72.25 | 72.51 | 72.78 | 73.05 |
| 23 FT. | 73.31 | 73.58 | 73.84 | 74.11 | 74.37 | 74.64 | 74.91 | 75.17 | 75.44 | 75.70 | 75.97 | 76.23 |
| 24 FT. | 76.50 | 76.77 | 77.03 | 77.30 | 77.56 | 77.83 | 78.09 | 78.36 | 78.62 | 78.89 | 79.16 | 79.42 |
| 25 FT. | 79.69 | 79.95 | 80.22 | 80.48 | 80.75 | 81.02 | 81.28 | 81.55 | 81.81 | 82.08 | 82.34 | 82.61 |
| 26 FT. | 82.88 | 83.14 | 83.41 | 83.67 | 83.94 | 84.20 | 84.47 | 84.73 | 85.00 | 85.26 | 85.53 | 85.80 |
| 27 FT. | 86.06 | 86.33 | 86.59 | 86.86 | 87.12 | 87.39 | 87.66 | 87.92 | 88.19 | 88.45 | 88.72 | 88.98 |
| 28 FT. | 89.25 | 89.52 | 89.78 | 90.05 | 90.31 | 90.58 | 90.84 | 91.11 | 91.37 | 91.64 | 91.91 | 92.17 |
| 29 FT. | 92.44 | 92.70 | 92.97 | 93.23 | 93.50 | 93.77 | 94.03 | 94.30 | 94.56 | 94.83 | 95.09 | 95.36 |
| 30 FT. | 95.63 | 95.89 | 96.16 | 96.42 | 96.69 | 96.95 | 97.22 | 97.48 | 97.75 | 98.01 | 98.28 | 98.55 |
| 31 FT. | 98.81 | 99.08 | 99.34 | 99.61 | 99.87 | 100.14 | 100.41 | 100.67 | 100.94 | 101.20 | 101.47 | 101.73 |
| 32 FT. | 102.00 | 102.27 | 102.53 | 102.80 | 103.06 | 103.33 | 103.59 | 103.86 | 104.12 | 104.39 | 104.66 | 104.92 |
| 33 FT. | 105.19 | 105.45 | 105.72 | 105.98 | 106.25 | 106.52 | 106.78 | 107.05 | 107.31 | 107.58 | 107.84 | 108.11 |
| 34 FT. | 108.38 | 108.64 | 108.91 | 109.17 | 109.44 | 109.70 | 109.97 | 110.23 | 110.50 | 110.76 | 111.03 | 111.30 |
| 35 FT. | 111.56 | 111.83 | 112.09 | 112.36 | 112.62 | 112.89 | 113.16 | 113.42 | 113.69 | 113.95 | 114.22 | 114.48 |
| 36 FT. | 114.75 | 115.02 | 115.28 | 115.55 | 115.81 | 116.08 | 116.34 | 116.61 | 116.87 | 117.14 | 117.41 | 117.67 |
| 37 FT. | 117.94 | 118.20 | 118.47 | 118.73 | 119.00 | 119.27 | 119.53 | 119.80 | 120.06 | 120.33 | 120.59 | 120.86 |
| 38 FT. | 121.13 | 121.39 | 121.66 | 121.92 | 122.19 | 122.45 | 122.72 | 122.98 | 123.25 | 123.51 | 123.78 | 124.05 |
| 39 FT. | 124.31 | 124.58 | 124.84 | 125.11 | 125.37 | 125.64 | 125.91 | 126.17 | 126.44 | 126.70 | 126.97 | 127.23 |
| 40 FT. | 127.50 | 127.77 | 128.03 | 128.30 | 128.56 | 128.83 | 129.09 | 129.36 | 129.62 | 129.89 | 130.16 | 130.42 |

PBR / PBU Panels



| DESCRIPTION | | | | | PRICED PER SQUARE |
|---------------|----------|-------------|----------------|-----------------------------|-------------------|
| GAUGE | COVERAGE | YIELD (PSI) | WEIGHT PER SQ. | FINISH | PRICE |
| 29 | 36" | 80,000 | 70# | Galvalume Plus® α | ✓ |
| 29 | 36" | 80,000 | 70# | Signature® 200 * | ✓ † |
| 26 | 36" | 80,000 | 87# | Galvalume Plus® α | ✓ |
| 26 | 36" | 80,000 | 87# | Signature® 200 * | ✓ |
| 26 | 36" | 80,000 | 87# | Signature® 300 | ✓ |
| 24 | 36" | 50,000 | 109# | Galvalume Plus® α | ✓ |
| 24 | 36" | 50,000 | 109# | Signature® 200 * | ✓ † |
| 24 | 36" | 50,000 | 109# | Signature® 300 * | ✓ † |
| 22 | 36" | 50,000 | 139# | Galvalume Plus® α | ✓ |
| 22 | 36" | 50,000 | 139# | Signature® 200 | Please inquire |
| .024" Alum †† | 36" | 18,000 | 41# | Signature® 200 - White Only | ✓ |

†† Perforated only

* See MBCI Color Chart documents for available colors.

† Minimum quantities may be required for some colors. Please inquire.

α The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

- All "PBR" and "PBU" panel pricing is based on a 38 1/4" sheet width (see chart on page 3).
- Panels 4'-0" in length or shorter will incur an additional charge, please inquire.
- Embossing will incur an additional charge, please inquire. 29 and 26 gauge cannot be embossed.
- Reverse run PBR or PBU panels (upside down) will incur an additional charge, please inquire.
- Perforated aluminum is 1/8" round on .324" staggered centers. Approximately 13.5% open area. **Any other color, gauge or perforation pattern - Please inquire**

Packaging Cost:

- Maximum 3000 pounds or 75 panels per bundle.
- Block and band only\$10.00
- Block and band, waterproof paper wrap\$1.40/linear foot
- Block and band, waster sheet top only\$1.60/linear foot
- Block and band, waster sheet top and bottom\$2.80/linear foot
- LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
- Export Package - block and band, waster sheet top and bottom, steel and wood boxedSpecial Order Only

Delivery:


- 29 and 26 gauge - Stocked Signature® 200 colors (see MBCI Color Chart)Contact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Galvalume Plus® and Signature® 200 WhiteContact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Signature® 200 colorsContact your local Customer Service Representative for lead times.
- 26 gauge - Signature® 300 colors (see MBCI Color Chart)Contact your local Customer Service Representative for lead times.

Note:

- Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.**
- All perforated material comes with a light oil coating. Panels should be wiped clean before installing.

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

AVP Panels




AVP Panel

NUMBER OF SQUARE FEET PER PANEL

| | 0" | 1" | 2" | 3" | 4" | 5" | 6" | 7" | 8" | 9" | 10" | 11" |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 FT. | 3.19 | 3.45 | 3.72 | 3.98 | 4.25 | 4.52 | 4.78 | 5.05 | 5.31 | 5.58 | 5.84 | 6.11 |
| 2 FT. | 6.38 | 6.64 | 6.91 | 7.17 | 7.44 | 7.70 | 7.97 | 8.23 | 8.50 | 8.76 | 9.03 | 9.30 |
| 3 FT. | 9.56 | 9.83 | 10.09 | 10.36 | 10.62 | 10.89 | 11.16 | 11.42 | 11.69 | 11.95 | 12.22 | 12.48 |
| 4 FT. | 12.75 | 13.02 | 13.28 | 13.55 | 13.81 | 14.08 | 14.34 | 14.61 | 14.87 | 15.14 | 15.41 | 15.67 |
| 5 FT. | 15.94 | 16.20 | 16.47 | 16.73 | 17.00 | 17.27 | 17.53 | 17.80 | 18.06 | 18.33 | 18.59 | 18.86 |
| 6 FT. | 19.13 | 19.39 | 19.66 | 19.92 | 20.19 | 20.45 | 20.72 | 20.98 | 21.25 | 21.51 | 21.78 | 22.05 |
| 7 FT. | 22.31 | 22.58 | 22.84 | 23.11 | 23.37 | 23.64 | 23.91 | 24.17 | 24.44 | 24.70 | 24.97 | 25.23 |
| 8 FT. | 25.50 | 25.77 | 26.03 | 26.30 | 26.56 | 26.83 | 27.09 | 27.36 | 27.62 | 27.89 | 28.16 | 28.42 |
| 9 FT. | 28.69 | 28.95 | 29.22 | 29.48 | 29.75 | 30.02 | 30.28 | 30.55 | 30.81 | 31.08 | 31.34 | 31.61 |
| 10 FT. | 31.88 | 32.14 | 32.41 | 32.67 | 32.94 | 33.20 | 33.47 | 33.73 | 34.00 | 34.26 | 34.53 | 34.80 |
| 11 FT. | 35.06 | 35.33 | 35.59 | 35.86 | 36.12 | 36.39 | 36.66 | 36.92 | 37.19 | 37.45 | 37.72 | 37.98 |
| 12 FT. | 38.25 | 38.52 | 38.78 | 39.05 | 39.31 | 39.58 | 39.84 | 40.11 | 40.37 | 40.64 | 40.91 | 41.17 |
| 13 FT. | 41.44 | 41.70 | 41.97 | 42.23 | 42.50 | 42.77 | 43.03 | 43.30 | 43.56 | 43.83 | 44.09 | 44.36 |
| 14 FT. | 44.63 | 44.89 | 45.16 | 45.42 | 45.69 | 45.95 | 46.22 | 46.48 | 46.75 | 47.01 | 47.28 | 47.55 |
| 15 FT. | 47.81 | 48.08 | 48.34 | 48.61 | 48.87 | 49.14 | 49.41 | 49.67 | 49.94 | 50.20 | 50.47 | 50.73 |
| 16 FT. | 51.00 | 51.27 | 51.53 | 51.80 | 52.06 | 52.33 | 52.59 | 52.86 | 53.12 | 53.39 | 53.66 | 53.92 |
| 17 FT. | 54.19 | 54.45 | 54.72 | 54.98 | 55.25 | 55.52 | 55.78 | 56.05 | 56.31 | 56.58 | 56.84 | 57.11 |
| 18 FT. | 57.38 | 57.64 | 57.91 | 58.17 | 58.44 | 58.70 | 58.97 | 59.23 | 59.50 | 59.76 | 60.03 | 60.30 |
| 19 FT. | 60.56 | 60.83 | 61.09 | 61.36 | 61.62 | 61.89 | 62.16 | 62.42 | 62.69 | 62.95 | 63.22 | 63.48 |
| 20 FT. | 63.75 | 64.02 | 64.28 | 64.55 | 64.81 | 65.08 | 65.34 | 65.61 | 65.87 | 66.14 | 66.41 | 66.67 |
| 21 FT. | 66.94 | 67.20 | 67.47 | 67.73 | 68.00 | 68.27 | 68.53 | 68.80 | 69.06 | 69.33 | 69.59 | 69.86 |
| 22 FT. | 70.13 | 70.39 | 70.66 | 70.92 | 71.19 | 71.45 | 71.72 | 71.98 | 72.25 | 72.51 | 72.78 | 73.05 |
| 23 FT. | 73.31 | 73.58 | 73.84 | 74.11 | 74.37 | 74.64 | 74.91 | 75.17 | 75.44 | 75.70 | 75.97 | 76.23 |
| 24 FT. | 76.50 | 76.77 | 77.03 | 77.30 | 77.56 | 77.83 | 78.09 | 78.36 | 78.62 | 78.89 | 79.16 | 79.42 |
| 25 FT. | 79.69 | 79.95 | 80.22 | 80.48 | 80.75 | 81.02 | 81.28 | 81.55 | 81.81 | 82.08 | 82.34 | 82.61 |
| 26 FT. | 82.88 | 83.14 | 83.41 | 83.67 | 83.94 | 84.20 | 84.47 | 84.73 | 85.00 | 85.26 | 85.53 | 85.80 |
| 27 FT. | 86.06 | 86.33 | 86.59 | 86.86 | 87.12 | 87.39 | 87.66 | 87.92 | 88.19 | 88.45 | 88.72 | 88.98 |
| 28 FT. | 89.25 | 89.52 | 89.78 | 90.05 | 90.31 | 90.58 | 90.84 | 91.11 | 91.37 | 91.64 | 91.91 | 92.17 |
| 29 FT. | 92.44 | 92.70 | 92.97 | 93.23 | 93.50 | 93.77 | 94.03 | 94.30 | 94.56 | 94.83 | 95.09 | 95.36 |
| 30 FT. | 95.63 | 95.89 | 96.16 | 96.42 | 96.69 | 96.95 | 97.22 | 97.48 | 97.75 | 98.01 | 98.28 | 98.55 |
| 31 FT. | 98.81 | 99.08 | 99.34 | 99.61 | 99.87 | 100.14 | 100.41 | 100.67 | 100.94 | 101.20 | 101.47 | 101.73 |
| 32 FT. | 102.00 | 102.27 | 102.53 | 102.80 | 103.06 | 103.33 | 103.59 | 103.86 | 104.12 | 104.39 | 104.66 | 104.92 |
| 33 FT. | 105.19 | 105.45 | 105.72 | 105.98 | 106.25 | 106.52 | 106.78 | 107.05 | 107.31 | 107.58 | 107.84 | 108.11 |
| 34 FT. | 108.38 | 108.64 | 108.91 | 109.17 | 109.44 | 109.70 | 109.97 | 110.23 | 110.50 | 110.76 | 111.03 | 111.30 |
| 35 FT. | 111.56 | 111.83 | 112.09 | 112.36 | 112.62 | 112.89 | 113.16 | 113.42 | 113.69 | 113.95 | 114.22 | 114.48 |
| 36 FT. | 114.75 | 115.02 | 115.28 | 115.55 | 115.81 | 116.08 | 116.34 | 116.61 | 116.87 | 117.14 | 117.41 | 117.67 |
| 37 FT. | 117.94 | 118.20 | 118.47 | 118.73 | 119.00 | 119.27 | 119.53 | 119.80 | 120.06 | 120.33 | 120.59 | 120.86 |
| 38 FT. | 121.13 | 121.39 | 121.66 | 121.92 | 122.19 | 122.45 | 122.72 | 122.98 | 123.25 | 123.51 | 123.78 | 124.05 |
| 39 FT. | 124.31 | 124.58 | 124.84 | 125.11 | 125.37 | 125.64 | 125.91 | 126.17 | 126.44 | 126.70 | 126.97 | 127.23 |
| 40 FT. | 127.50 | 127.77 | 128.03 | 128.30 | 128.56 | 128.83 | 129.09 | 129.36 | 129.62 | 129.89 | 130.16 | 130.42 |

AVP Panels



AVP Panel

| DESCRIPTION | | | | | PRICED PER SQUARE |
|--------------|----------|-------------|----------------|------------------|-------------------|
| GAUGE | COVERAGE | YIELD (PSI) | WEIGHT PER SQ. | FINISH | PRICE |
| 26 | 36" | 80,000 | 87# | Galvalume Plus® | ✓ |
| 26 | 36" | 80,000 | 87# | Signature® 200 * | ✓ |
| 26 | 36" | 80,000 | 87# | Signature® 300 * | ✓ |
| 24 | 36" | 50,000 | 109# | Galvalume Plus® | ✓ |
| 24 | 36" | 50,000 | 109# | Signature® 200 * | ✓ † |
| 24 | 36" | 50,000 | 109# | Signature® 300 * | ✓ † |
| 22 | 36" | 50,000 | 139# | Galvalume Plus® | ✓ |
| 22 | 36" | 50,000 | 139# | Signature® 200 | Please Inquire |
| .024 Alum †† | 36" | 18,000 | 41# | Signature® 200 | ✓ |

†† Perforated only

* See MBCI Color Chart documents for available colors.

† Minimum quantities may be required for some colors. Please inquire.

‡ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

- All "AVP" panel pricing is based on a 38 1/4" sheet width (see chart on page 5).
- Panels 4'-0" in length or shorter will incur an additional charge, please inquire.
- Embossing will incur an additional charge, please inquire. 26 gauge cannot be embossed.
- Perforated aluminum is 1/8" round on .324" staggered centers. Approximately 13.5% open area. **Any other color, gauge or perforation pattern - Please inquire**

Packaging Cost:

- Maximum 3000 pounds or 75 panels per bundle.
- Block and band only\$10.00
- Block and band, waterproof paper wrap\$1.40/linear foot
- Block and band, waster sheet top only\$1.60/linear foot
- Block and band, waster sheet top and bottom\$2.80/linear foot
- LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
- Export Package - block and band, waster sheet top and bottom, steel and wood boxedSpecial Order Only

Delivery:


- 26 gauge - Stocked Signature® 200 colors (see MBCI Color Chart)Contact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Galvalume Plus® and Signature® 200 WhiteContact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Signature® 200 colorsContact your local Customer Service Representative for lead times.
- 26 gauge - Signature® 300 colors (see MBCI Color Chart)Contact your local Customer Service Representative for lead times.

Note:

- "AVP" has pencil ribs as a standard.
- Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.**
- All perforated material comes with a light oil coating. Panels should be wiped clean before installing.

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**


PBR Panel with Drip Stop



NUMBER OF SQUARE FEET PER PANEL

| | 0" | 1" | 2" | 3" | 4" | 5" | 6" | 7" | 8" | 9" | 10" | 11" |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 FT. | 3.19 | 3.45 | 3.72 | 3.98 | 4.25 | 4.52 | 4.78 | 5.05 | 5.31 | 5.58 | 5.84 | 6.11 |
| 2 FT. | 6.38 | 6.64 | 6.91 | 7.17 | 7.44 | 7.70 | 7.97 | 8.23 | 8.50 | 8.76 | 9.03 | 9.30 |
| 3 FT. | 9.56 | 9.83 | 10.09 | 10.36 | 10.62 | 10.89 | 11.16 | 11.42 | 11.69 | 11.95 | 12.22 | 12.48 |
| 4 FT. | 12.75 | 13.02 | 13.28 | 13.55 | 13.81 | 14.08 | 14.34 | 14.61 | 14.87 | 15.14 | 15.41 | 15.67 |
| 5 FT. | 15.94 | 16.20 | 16.47 | 16.73 | 17.00 | 17.27 | 17.53 | 17.80 | 18.06 | 18.33 | 18.59 | 18.86 |
| 6 FT. | 19.13 | 19.39 | 19.66 | 19.92 | 20.19 | 20.45 | 20.72 | 20.98 | 21.25 | 21.51 | 21.78 | 22.05 |
| 7 FT. | 22.31 | 22.58 | 22.84 | 23.11 | 23.37 | 23.64 | 23.91 | 24.17 | 24.44 | 24.70 | 24.97 | 25.23 |
| 8 FT. | 25.50 | 25.77 | 26.03 | 26.30 | 26.56 | 26.83 | 27.09 | 27.36 | 27.62 | 27.89 | 28.16 | 28.42 |
| 9 FT. | 28.69 | 28.95 | 29.22 | 29.48 | 29.75 | 30.02 | 30.28 | 30.55 | 30.81 | 31.08 | 31.34 | 31.61 |
| 10 FT. | 31.88 | 32.14 | 32.41 | 32.67 | 32.94 | 33.20 | 33.47 | 33.73 | 34.00 | 34.26 | 34.53 | 34.80 |
| 11 FT. | 35.06 | 35.33 | 35.59 | 35.86 | 36.12 | 36.39 | 36.66 | 36.92 | 37.19 | 37.45 | 37.72 | 37.98 |
| 12 FT. | 38.25 | 38.52 | 38.78 | 39.05 | 39.31 | 39.58 | 39.84 | 40.11 | 40.37 | 40.64 | 40.91 | 41.17 |
| 13 FT. | 41.44 | 41.70 | 41.97 | 42.23 | 42.50 | 42.77 | 43.03 | 43.30 | 43.56 | 43.83 | 44.09 | 44.36 |
| 14 FT. | 44.63 | 44.89 | 45.16 | 45.42 | 45.69 | 45.95 | 46.22 | 46.48 | 46.75 | 47.01 | 47.28 | 47.55 |
| 15 FT. | 47.81 | 48.08 | 48.34 | 48.61 | 48.87 | 49.14 | 49.41 | 49.67 | 49.94 | 50.20 | 50.47 | 50.73 |
| 16 FT. | 51.00 | 51.27 | 51.53 | 51.80 | 52.06 | 52.33 | 52.59 | 52.86 | 53.12 | 53.39 | 53.66 | 53.92 |
| 17 FT. | 54.19 | 54.45 | 54.72 | 54.98 | 55.25 | 55.52 | 55.78 | 56.05 | 56.31 | 56.58 | 56.84 | 57.11 |
| 18 FT. | 57.38 | 57.64 | 57.91 | 58.17 | 58.44 | 58.70 | 58.97 | 59.23 | 59.50 | 59.76 | 60.03 | 60.30 |
| 19 FT. | 60.56 | 60.83 | 61.09 | 61.36 | 61.62 | 61.89 | 62.16 | 62.42 | 62.69 | 62.95 | 63.22 | 63.48 |
| 20 FT. | 63.75 | 64.02 | 64.28 | 64.55 | 64.81 | 65.08 | 65.34 | 65.61 | 65.87 | 66.14 | 66.41 | 66.67 |
| 21 FT. | 66.94 | 67.20 | 67.47 | 67.73 | 68.00 | 68.27 | 68.53 | 68.80 | 69.06 | 69.33 | 69.59 | 69.86 |
| 22 FT. | 70.13 | 70.39 | 70.66 | 70.92 | 71.19 | 71.45 | 71.72 | 71.98 | 72.25 | 72.51 | 72.78 | 73.05 |
| 23 FT. | 73.31 | 73.58 | 73.84 | 74.11 | 74.37 | 74.64 | 74.91 | 75.17 | 75.44 | 75.70 | 75.97 | 76.23 |
| 24 FT. | 76.50 | 76.77 | 77.03 | 77.30 | 77.56 | 77.83 | 78.09 | 78.36 | 78.62 | 78.89 | 79.16 | 79.42 |
| 25 FT. | 79.69 | 79.95 | 80.22 | 80.48 | 80.75 | 81.02 | 81.28 | 81.55 | 81.81 | 82.08 | 82.34 | 82.61 |
| 26 FT. | 82.88 | 83.14 | 83.41 | 83.67 | 83.94 | 84.20 | 84.47 | 84.73 | 85.00 | 85.26 | 85.53 | 85.80 |
| 27 FT. | 86.06 | 86.33 | 86.59 | 86.86 | 87.12 | 87.39 | 87.66 | 87.92 | 88.19 | 88.45 | 88.72 | 88.98 |
| 28 FT. | 89.25 | 89.52 | 89.78 | 90.05 | 90.31 | 90.58 | 90.84 | 91.11 | 91.37 | 91.64 | 91.91 | 92.17 |
| 29 FT. | 92.44 | 92.70 | 92.97 | 93.23 | 93.50 | 93.77 | 94.03 | 94.30 | 94.56 | 94.83 | 95.09 | 95.36 |
| 30 FT. | 95.63 | 95.89 | 96.16 | 96.42 | 96.69 | 96.95 | 97.22 | 97.48 | 97.75 | 98.01 | 98.28 | 98.55 |
| 31 FT. | 98.81 | 99.08 | 99.34 | 99.61 | 99.87 | 100.14 | 100.41 | 100.67 | 100.94 | 101.20 | 101.47 | 101.73 |
| 32 FT. | 102.00 | 102.27 | 102.53 | 102.80 | 103.06 | 103.33 | 103.59 | 103.86 | 104.12 | 104.39 | 104.66 | 104.92 |
| 33 FT. | 105.19 | 105.45 | 105.72 | 105.98 | 106.25 | 106.52 | 106.78 | 107.05 | 107.31 | 107.58 | 107.84 | 108.11 |
| 34 FT. | 108.38 | 108.64 | 108.91 | 109.17 | 109.44 | 109.70 | 109.97 | 110.23 | 110.50 | 110.76 | 111.03 | 111.30 |
| 35 FT. | 111.56 | 111.83 | 112.09 | 112.36 | 112.62 | 112.89 | 113.16 | 113.42 | 113.69 | 113.95 | 114.22 | 114.48 |
| 36 FT. | 114.75 | 115.02 | 115.28 | 115.55 | 115.81 | 116.08 | 116.34 | 116.61 | 116.87 | 117.14 | 117.41 | 117.67 |
| 37 FT. | 117.94 | 118.20 | 118.47 | 118.73 | 119.00 | 119.27 | 119.53 | 119.80 | 120.06 | 120.33 | 120.59 | 120.86 |
| 38 FT. | 121.13 | 121.39 | 121.66 | 121.92 | 122.19 | 122.45 | 122.72 | 122.98 | 123.25 | 123.51 | 123.78 | 124.05 |
| 39 FT. | 124.31 | 124.58 | 124.84 | 125.11 | 125.37 | 125.64 | 125.91 | 126.17 | 126.44 | 126.70 | 126.97 | 127.23 |
| 40 FT. | 127.50 | 127.77 | 128.03 | 128.30 | 128.56 | 128.83 | 129.09 | 129.36 | 129.62 | 129.89 | 130.16 | 130.42 |

PBR Panel with Drip Stop



| DESCRIPTION | | | | | PRICED PER SQUARE |
|-------------|----------|-------------|----------------|-------------------|-------------------|
| GAUGE | COVERAGE | YIELD (PSI) | WEIGHT PER SQ. | FINISH | PRICE |
| 29 | 36" | 80,000 | 70# | Galvalume Plus® α | ✓ |
| 29 | 36" | 80,000 | 70# | Signature® 200 * | ✓ † |
| 26 | 36" | 80,000 | 87# | Galvalume Plus® α | ✓ |
| 26 | 36" | 80,000 | 87# | Signature® 200 * | ✓ |
| 26 | 36" | 80,000 | 87# | Signature® 300 * | ✓ |
| 24 | 36" | 50,000 | 109# | Galvalume Plus® α | ✓ |
| 24 | 36" | 50,000 | 109# | Signature® 200 * | ✓ † |

* See MBCI Color Chart documents for available colors.

† Minimum quantities may be required for some colors. Please inquire.

α The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

1. All panel pricing is based on a 38 1/4" sheet width (see chart on page 7).
2. Panels 4'-0" in length or shorter will incur an additional charge, please inquire.

Packaging Cost:

1. Maximum 3000 pounds or 75 panels per bundle.
2. Block and band only\$10.00
3. Block and band, waterproof paper wrap\$1.40/linear foot
4. Block and band, waster sheet top only\$1.60/linear foot
5. Block and band, waster sheet top and bottom\$2.80/linear foot
6. LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
7. Export Package - block and band, waster sheet top and bottom, steel and wood boxedSpecial Order Only

Delivery:


1. 26 gauge - Stocked Signature® 200 colors (see MBCI Color Chart)Contact your local Customer Service Representative for lead times.
2. 22 and 24 gauge - Galvalume Plus® and Signature® 200 WhiteContact your local Customer Service Representative for lead times.
3. 22 and 24 gauge - Signature® 200 colorsContact your local Customer Service Representative for lead times.
4. 26 gauge - Signature® 300 colors (see MBCI Color Chart)Contact your local Customer Service Representative for lead times.

Note:

1. **Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.**
2. **Drip stop material at eave can be fused with heat gun to prevent moisture wicking.**

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

PBC / PBD Panels



PBC Panel




PBD Panel


NUMBER OF SQUARE FEET PER PANEL

| | 0" | 1" | 2" | 3" | 4" | 5" | 6" | 7" | 8" | 9" | 10" | 11" |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 FT. | 2.83 | 3.07 | 3.31 | 3.54 | 3.78 | 4.01 | 4.25 | 4.49 | 4.72 | 4.96 | 5.19 | 5.43 |
| 2 FT. | 5.67 | 5.90 | 6.14 | 6.37 | 6.61 | 6.85 | 7.08 | 7.32 | 7.55 | 7.79 | 8.03 | 8.26 |
| 3 FT. | 8.50 | 8.74 | 8.97 | 9.21 | 9.44 | 9.68 | 9.92 | 10.15 | 10.39 | 10.62 | 10.86 | 11.10 |
| 4 FT. | 11.33 | 11.57 | 11.81 | 12.04 | 12.28 | 12.51 | 12.75 | 12.99 | 13.22 | 13.46 | 13.69 | 13.93 |
| 5 FT. | 14.17 | 14.40 | 14.64 | 14.87 | 15.11 | 15.35 | 15.58 | 15.82 | 16.05 | 16.29 | 16.53 | 16.76 |
| 6 FT. | 17.00 | 17.24 | 17.47 | 17.71 | 17.94 | 18.18 | 18.42 | 18.65 | 18.89 | 19.12 | 19.36 | 19.60 |
| 7 FT. | 19.83 | 20.07 | 20.31 | 20.54 | 20.78 | 21.01 | 21.25 | 21.49 | 21.72 | 21.96 | 22.19 | 22.43 |
| 8 FT. | 22.67 | 22.90 | 23.14 | 23.37 | 23.61 | 23.85 | 24.08 | 24.32 | 24.55 | 24.79 | 25.03 | 25.26 |
| 9 FT. | 25.50 | 25.74 | 25.97 | 26.21 | 26.44 | 26.68 | 26.92 | 27.15 | 27.39 | 27.62 | 27.86 | 28.10 |
| 10 FT. | 28.33 | 28.57 | 28.81 | 29.04 | 29.28 | 29.51 | 29.75 | 29.99 | 30.22 | 30.46 | 30.69 | 30.93 |
| 11 FT. | 31.17 | 31.40 | 31.64 | 31.87 | 32.11 | 32.35 | 32.58 | 32.82 | 33.05 | 33.29 | 33.53 | 33.76 |
| 12 FT. | 34.00 | 34.24 | 34.47 | 34.71 | 34.94 | 35.18 | 35.42 | 35.65 | 35.89 | 36.12 | 36.36 | 36.60 |
| 13 FT. | 36.83 | 37.07 | 37.30 | 37.54 | 37.78 | 38.01 | 38.25 | 38.48 | 38.72 | 38.96 | 39.19 | 39.43 |
| 14 FT. | 39.67 | 39.90 | 40.14 | 40.37 | 40.61 | 40.85 | 41.08 | 41.32 | 41.55 | 41.79 | 42.03 | 42.26 |
| 15 FT. | 42.50 | 42.74 | 42.97 | 43.21 | 43.44 | 43.68 | 43.92 | 44.15 | 44.39 | 44.62 | 44.86 | 45.10 |
| 16 FT. | 45.33 | 45.57 | 45.80 | 46.04 | 46.28 | 46.51 | 46.75 | 46.98 | 47.22 | 47.46 | 47.69 | 47.93 |
| 17 FT. | 48.17 | 48.40 | 48.64 | 48.87 | 49.11 | 49.35 | 49.58 | 49.82 | 50.05 | 50.29 | 50.53 | 50.76 |
| 18 FT. | 51.00 | 51.24 | 51.47 | 51.71 | 51.94 | 52.18 | 52.42 | 52.65 | 52.89 | 53.12 | 53.36 | 53.60 |
| 19 FT. | 53.83 | 54.07 | 54.30 | 54.54 | 54.78 | 55.01 | 55.25 | 55.48 | 55.72 | 55.96 | 56.19 | 56.43 |
| 20 FT. | 56.67 | 56.90 | 57.14 | 57.37 | 57.61 | 57.85 | 58.08 | 58.32 | 58.55 | 58.79 | 59.03 | 59.26 |
| 21 FT. | 59.50 | 59.74 | 59.97 | 60.21 | 60.44 | 60.68 | 60.92 | 61.15 | 61.39 | 61.62 | 61.86 | 62.10 |
| 22 FT. | 62.33 | 62.57 | 62.80 | 63.04 | 63.28 | 63.51 | 63.75 | 63.98 | 64.22 | 64.46 | 64.69 | 64.93 |
| 23 FT. | 65.17 | 65.40 | 65.64 | 65.87 | 66.11 | 66.35 | 66.58 | 66.82 | 67.05 | 67.29 | 67.53 | 67.76 |
| 24 FT. | 68.00 | 68.24 | 68.47 | 68.71 | 68.94 | 69.18 | 69.42 | 69.65 | 69.89 | 70.12 | 70.36 | 70.60 |
| 25 FT. | 70.83 | 71.07 | 71.30 | 71.54 | 71.78 | 72.01 | 72.25 | 72.48 | 72.72 | 72.96 | 73.19 | 73.43 |
| 26 FT. | 73.67 | 73.90 | 74.14 | 74.37 | 74.61 | 74.85 | 75.08 | 75.32 | 75.55 | 75.79 | 76.03 | 76.26 |
| 27 FT. | 76.50 | 76.74 | 76.97 | 77.21 | 77.44 | 77.68 | 77.92 | 78.15 | 78.39 | 78.62 | 78.86 | 79.10 |
| 28 FT. | 79.33 | 79.57 | 79.80 | 80.04 | 80.28 | 80.51 | 80.75 | 80.98 | 81.22 | 81.46 | 81.69 | 81.93 |
| 29 FT. | 82.17 | 82.40 | 82.64 | 82.87 | 83.11 | 83.35 | 83.58 | 83.82 | 84.05 | 84.29 | 84.53 | 84.76 |
| 30 FT. | 85.00 | 85.24 | 85.47 | 85.71 | 85.94 | 86.18 | 86.42 | 86.65 | 86.89 | 87.12 | 87.36 | 87.60 |
| 31 FT. | 87.83 | 88.07 | 88.30 | 88.54 | 88.78 | 89.01 | 89.25 | 89.48 | 89.72 | 89.96 | 90.19 | 90.43 |
| 32 FT. | 90.67 | 90.90 | 91.14 | 91.37 | 91.61 | 91.85 | 92.08 | 92.32 | 92.55 | 92.79 | 93.03 | 93.26 |
| 33 FT. | 93.50 | 93.73 | 93.97 | 94.21 | 94.44 | 94.68 | 94.91 | 95.15 | 95.39 | 95.62 | 95.86 | 96.09 |
| 34 FT. | 96.33 | 96.57 | 96.80 | 97.04 | 97.28 | 97.51 | 97.75 | 97.98 | 98.22 | 98.46 | 98.69 | 98.93 |
| 35 FT. | 99.17 | 99.40 | 99.64 | 99.87 | 100.11 | 100.35 | 100.58 | 100.82 | 101.05 | 101.29 | 101.53 | 101.76 |
| 36 FT. | 102.00 | 102.23 | 102.47 | 102.71 | 102.94 | 103.18 | 103.41 | 103.65 | 103.89 | 104.12 | 104.36 | 104.59 |
| 37 FT. | 104.83 | 105.07 | 105.30 | 105.54 | 105.78 | 106.01 | 106.25 | 106.48 | 106.72 | 106.96 | 107.19 | 107.43 |
| 38 FT. | 107.67 | 107.90 | 108.14 | 108.37 | 108.61 | 108.85 | 109.08 | 109.32 | 109.55 | 109.79 | 110.03 | 110.26 |
| 39 FT. | 110.50 | 110.73 | 110.97 | 111.21 | 111.44 | 111.68 | 111.91 | 112.15 | 112.39 | 112.62 | 112.86 | 113.09 |
| 40 FT. | 113.33 | 113.57 | 113.80 | 114.04 | 114.28 | 114.51 | 114.75 | 114.98 | 115.22 | 115.46 | 115.69 | 115.93 |

PBC / PBD Panels



PBC Panel



PBD Panel

| DESCRIPTION | | | | | PRICED PER SQUARE |
|---------------|----------|-------------|----------------|-----------------------------|-------------------|
| GAUGE | COVERAGE | YIELD (PSI) | WEIGHT PER SQ. | FINISH | PRICE |
| 29 | 32" | 80,000 | 78# | Galvalume Plus® | ✓ |
| 29 | 32" | 80,000 | 78# | Signature® 200 * | ✓ † |
| 29 | 32" | 80,000 | 83# | Galvanized | Please Inquire |
| 26 | 32" | 80,000 | 98# | Galvalume Plus® | ✓ |
| 26 | 32" | 80,000 | 98# | Signature® 200 * | ✓ |
| 26 | 32" | 80,000 | 98# | Signature® 300 * | ✓ |
| 24 | 32" | 50,000 | 123# | Galvalume Plus® | ✓ |
| 24 | 32" | 50,000 | 123# | Signature® 200 * | ✓ † |
| 24 | 32" | 50,000 | 123# | Signature® 300 * | ✓ † |
| 22 | 32" | 50,000 | 156# | Galvalume Plus® | ✓ |
| 22 | 32" | 50,000 | 156# | Signature® 200 | Please Inquire |
| .024" Alum †† | 32" | 18,000 | 46# | Signature® 200 - White Only | ✓ |

†† Perforated only

♦ "PBC" Panel not available

† Minimum quantities may be required for some colors. Please inquire.

* See MBCI Color Chart documents for available colors.

▣ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

- All "PBC" and "PBD" panel pricing is based on a 34" sheet width (see chart on page 9).
- Panels 4'-0" in length or shorter will incur an additional charge, please inquire.
- Embossing will incur an additional charge, please inquire.
- Perforated aluminum is 1/8" round on .324" staggered centers. Approximately 13.5% open area. **Any other color, gauge or perforation pattern - Please inquire**

Packaging Cost:

- Maximum 3000 pounds or 75 panels per bundle.
- Block and band only\$10.00
- Block and band, waterproof paper wrap\$1.40/linear foot
- Block and band, waster sheet top only\$1.60/linear foot
- Block and band, waster sheet top and bottom\$2.80/linear foot
- LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
- Export Package - block and band, waster sheet top and bottom, steel and wood boxedSpecial Order Only

Delivery:


- 29 and 26 gauge - Stocked Signature® 200 colors (see MBCI Color Chart)Contact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Galvalume Plus® and Signature® 200 WhiteContact your local Customer Service Representative for lead times.
- 22 and 24 gauge - Signature® 200 colorsContact your local Customer Service Representative for lead times.
- 26 gauge - Signature® 300 colors (see MBCI Color Chart)Contact your local Customer Service Representative for lead times.

Note:

- Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.**
- All perforated material comes with a light oil coating. Panels should be wiped clean before installing.

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**


7.2 Panel



NUMBER OF SQUARE FEET PER PANEL

| | 0" | 1" | 2" | 3" | 4" | 5" | 6" | 7" | 8" | 9" | 10" | 11" |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 FT. | 3.26 | 3.53 | 3.80 | 4.07 | 4.35 | 4.62 | 4.89 | 5.16 | 5.43 | 5.70 | 5.98 | 6.25 |
| 2 FT. | 6.52 | 6.79 | 7.06 | 7.34 | 7.61 | 7.88 | 8.15 | 8.42 | 8.69 | 8.96 | 9.24 | 9.51 |
| 3 FT. | 9.78 | 10.05 | 10.32 | 10.60 | 10.87 | 11.14 | 11.41 | 11.68 | 11.95 | 12.22 | 12.50 | 12.77 |
| 4 FT. | 13.04 | 13.31 | 13.58 | 13.86 | 14.13 | 14.40 | 14.67 | 14.94 | 15.21 | 15.49 | 15.76 | 16.03 |
| 5 FT. | 16.30 | 16.57 | 16.85 | 17.12 | 17.39 | 17.66 | 17.93 | 18.20 | 18.47 | 18.75 | 19.02 | 19.29 |
| 6 FT. | 19.56 | 19.83 | 20.11 | 20.38 | 20.65 | 20.92 | 21.19 | 21.46 | 21.73 | 22.01 | 22.28 | 22.55 |
| 7 FT. | 22.82 | 23.09 | 23.37 | 23.64 | 23.91 | 24.18 | 24.45 | 24.72 | 24.99 | 25.27 | 25.54 | 25.81 |
| 8 FT. | 26.08 | 26.35 | 26.63 | 26.90 | 27.17 | 27.44 | 27.71 | 27.98 | 28.26 | 28.53 | 28.80 | 29.07 |
| 9 FT. | 29.34 | 29.62 | 29.89 | 30.16 | 30.43 | 30.70 | 30.97 | 31.24 | 31.52 | 31.79 | 32.06 | 32.33 |
| 10 FT. | 32.60 | 32.88 | 33.15 | 33.42 | 33.69 | 33.96 | 34.23 | 34.50 | 34.78 | 35.05 | 35.32 | 35.59 |
| 11 FT. | 35.86 | 36.14 | 36.41 | 36.68 | 36.95 | 37.22 | 37.49 | 37.76 | 38.04 | 38.31 | 38.58 | 38.85 |
| 12 FT. | 39.12 | 39.40 | 39.67 | 39.94 | 40.21 | 40.48 | 40.75 | 41.03 | 41.30 | 41.57 | 41.84 | 42.11 |
| 13 FT. | 42.39 | 42.66 | 42.93 | 43.20 | 43.47 | 43.74 | 44.01 | 44.29 | 44.56 | 44.83 | 45.10 | 45.37 |
| 14 FT. | 45.65 | 45.92 | 46.19 | 46.46 | 46.73 | 47.00 | 47.27 | 47.55 | 47.82 | 48.09 | 48.36 | 48.63 |
| 15 FT. | 48.91 | 49.18 | 49.45 | 49.72 | 49.99 | 50.26 | 50.54 | 50.81 | 51.08 | 51.35 | 51.62 | 51.89 |
| 16 FT. | 52.17 | 52.44 | 52.71 | 52.98 | 53.25 | 53.52 | 53.80 | 54.07 | 54.34 | 54.61 | 54.88 | 55.15 |
| 17 FT. | 55.43 | 55.70 | 55.97 | 56.24 | 56.51 | 56.78 | 57.06 | 57.33 | 57.60 | 57.87 | 58.14 | 58.41 |
| 18 FT. | 58.69 | 58.96 | 59.23 | 59.50 | 59.77 | 60.04 | 60.32 | 60.59 | 60.86 | 61.13 | 61.40 | 61.67 |
| 19 FT. | 61.95 | 62.22 | 62.49 | 62.76 | 63.03 | 63.31 | 63.58 | 63.85 | 64.12 | 64.39 | 64.66 | 64.93 |
| 20 FT. | 65.21 | 65.48 | 65.75 | 66.02 | 66.29 | 66.57 | 66.84 | 67.11 | 67.38 | 67.65 | 67.92 | 68.19 |
| 21 FT. | 68.47 | 68.74 | 69.01 | 69.28 | 69.55 | 69.83 | 70.10 | 70.37 | 70.64 | 70.91 | 71.18 | 71.45 |
| 22 FT. | 71.73 | 72.00 | 72.27 | 72.54 | 72.81 | 73.09 | 73.36 | 73.63 | 73.90 | 74.17 | 74.44 | 74.72 |
| 23 FT. | 74.99 | 75.26 | 75.53 | 75.80 | 76.08 | 76.35 | 76.62 | 76.89 | 77.16 | 77.43 | 77.70 | 77.98 |
| 24 FT. | 78.25 | 78.52 | 78.79 | 79.06 | 79.34 | 79.61 | 79.88 | 80.15 | 80.42 | 80.69 | 80.96 | 81.24 |
| 25 FT. | 81.51 | 81.78 | 82.05 | 82.32 | 82.60 | 82.87 | 83.14 | 83.41 | 83.68 | 83.95 | 84.23 | 84.50 |
| 26 FT. | 84.77 | 85.04 | 85.31 | 85.58 | 85.86 | 86.13 | 86.40 | 86.67 | 86.94 | 87.21 | 87.49 | 87.76 |
| 27 FT. | 88.03 | 88.30 | 88.57 | 88.85 | 89.12 | 89.39 | 89.66 | 89.93 | 90.20 | 90.47 | 90.75 | 91.02 |
| 28 FT. | 91.29 | 91.56 | 91.83 | 92.11 | 92.38 | 92.65 | 92.92 | 93.19 | 93.46 | 93.73 | 94.01 | 94.28 |
| 29 FT. | 94.55 | 94.82 | 95.09 | 95.37 | 95.64 | 95.91 | 96.18 | 96.45 | 96.72 | 97.00 | 97.27 | 97.54 |
| 30 FT. | 97.81 | 98.08 | 98.36 | 98.63 | 98.90 | 99.17 | 99.44 | 99.71 | 99.98 | 100.26 | 100.53 | 100.80 |
| 31 FT. | 101.07 | 101.34 | 101.62 | 101.89 | 102.16 | 102.43 | 102.70 | 102.97 | 103.24 | 103.52 | 103.79 | 104.06 |
| 32 FT. | 104.33 | 104.60 | 104.88 | 105.15 | 105.42 | 105.69 | 105.96 | 106.23 | 106.50 | 106.78 | 107.05 | 107.32 |
| 33 FT. | 107.59 | 107.86 | 108.14 | 108.41 | 108.68 | 108.95 | 109.22 | 109.49 | 109.77 | 110.04 | 110.31 | 110.58 |
| 34 FT. | 110.85 | 111.13 | 111.40 | 111.67 | 111.94 | 112.21 | 112.48 | 112.75 | 113.03 | 113.30 | 113.57 | 113.84 |
| 35 FT. | 114.11 | 114.39 | 114.66 | 114.93 | 115.20 | 115.47 | 115.74 | 116.01 | 116.29 | 116.56 | 116.83 | 117.10 |
| 36 FT. | 117.37 | 117.65 | 117.92 | 118.19 | 118.46 | 118.73 | 119.00 | 119.27 | 119.55 | 119.82 | 120.09 | 120.36 |
| 37 FT. | 120.63 | 120.91 | 121.18 | 121.45 | 121.72 | 121.99 | 122.26 | 122.54 | 122.81 | 123.08 | 123.35 | 123.62 |
| 38 FT. | 123.90 | 124.17 | 124.44 | 124.71 | 124.98 | 125.25 | 125.52 | 125.80 | 126.07 | 126.34 | 126.61 | 126.88 |
| 39 FT. | 127.16 | 127.43 | 127.70 | 127.97 | 128.24 | 128.51 | 128.78 | 129.06 | 129.33 | 129.60 | 129.87 | 130.14 |
| 40 FT. | 130.42 | 130.69 | 130.96 | 131.23 | 131.50 | 131.77 | 132.04 | 132.32 | 132.59 | 132.86 | 133.13 | 133.40 |

7.2 Panel



| DESCRIPTION | | | | | PRICED PER SQUARE |
|-------------|----------|-------------|----------------|-------------------|-------------------|
| GAUGE | COVERAGE | YIELD (PSI) | WEIGHT PER SQ. | FINISH | PRICE |
| 29 | 36" | 80,000 | 72# | Galvalume Plus® | ✓ |
| 29 | 36" | 80,000 | 72# | Signature® 200 | ✓ † |
| 26 | 36" | 80,000 | 96# | Galvalume Plus® | ✓ |
| 26 | 36" | 80,000 | 96# | Signature® 200 * | ✓ † |
| 24 | 36" | 50,000 | 118# | Galvalume Plus® ✕ | ✓ |
| 24 | 36" | 50,000 | 118# | Signature® 200 * | ✓ † |
| 24 | 36" | 50,000 | 118# | Signature® 300 * | ✓ † |
| 22 | 36" | 50,000 | 146# | Galvalume Plus® ✕ | ✓ |
| 22 | 36" | 50,000 | 146# | Signature® 200 * | Please Inquire |
| 22 | 36" | 50,000 | 146# | Signature® 300 * | Please Inquire |

* See MBCI Color Chart documents for available colors.

† Minimum quantities may be required for some colors. Please inquire.

✕ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

- All 7.2 panel pricing is based on a 39 1/8" sheet width (see chart on page 11).
- Panels 4'-0" in length or shorter will incur an additional charge, please inquire.
- Embossing will incur an additional charge, please inquire.

Packaging Cost:

- Maximum 3000 pounds or 75 panels per bundle.
- Block and band only\$10.00
- Block and band, waterproof paper wrap\$1.40/linear foot
- Block and band, waster sheet top only\$1.60/linear foot
- Block and band, waster sheet top and bottom\$2.80/linear foot
- LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
- Export Package - block and band, waster sheet top and bottom, steel and wood boxedSpecial Order Only

Delivery:


- 29 gauge - stocked Signature® 200 colors (see MBCI Color Chart.....Contact your local Customer Service Representative for lead times.
- 26, 24 and 22 gauge - (see MBCI Color Chart)Contact your local Customer Service Representative for lead times.

Note:

- Edge of panel in contact with concrete sheeting notch will result in excessive edge creep. Panel corrosion due to contact with concrete or any masonry product is excluded from Panel Warranty.**
- All perforated material comes with a light oil coating. Panels should be wiped clean before installing.
- Panels should be ordered "Reverse Rolled" for use on walls. This allows the lap fasteners to be recessed and less visible.**

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**


Retro-R® Panel



NUMBER OF SQUARE FEET PER PANEL

| | 0" | 1" | 2" | 3" | 4" | 5" | 6" | 7" | 8" | 9" | 10" | 11" |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 FT. | 3.21 | 3.48 | 3.74 | 4.01 | 4.28 | 4.54 | 4.81 | 5.08 | 5.34 | 5.61 | 5.88 | 6.15 |
| 2 FT. | 6.42 | 6.68 | 6.95 | 7.22 | 7.48 | 7.75 | 8.02 | 8.29 | 8.55 | 8.82 | 9.09 | 9.35 |
| 3 FT. | 9.62 | 9.89 | 10.16 | 10.43 | 10.69 | 10.96 | 11.23 | 11.49 | 11.76 | 12.03 | 12.29 | 12.56 |
| 4 FT. | 12.83 | 13.10 | 13.37 | 13.63 | 13.90 | 14.17 | 14.43 | 14.70 | 14.97 | 15.24 | 15.50 | 15.77 |
| 5 FT. | 16.04 | 16.31 | 16.57 | 16.84 | 17.11 | 17.38 | 17.64 | 17.91 | 18.18 | 18.44 | 18.71 | 18.98 |
| 6 FT. | 19.25 | 19.52 | 19.78 | 20.05 | 20.32 | 20.58 | 20.85 | 21.12 | 21.38 | 21.65 | 21.92 | 22.19 |
| 7 FT. | 22.46 | 22.72 | 22.99 | 23.26 | 23.52 | 23.79 | 24.06 | 24.33 | 24.59 | 24.86 | 25.13 | 25.39 |
| 8 FT. | 25.66 | 25.93 | 26.20 | 26.47 | 26.73 | 27.00 | 27.27 | 27.53 | 27.80 | 28.07 | 28.33 | 28.60 |
| 9 FT. | 28.87 | 29.14 | 29.41 | 29.67 | 29.94 | 30.21 | 30.47 | 30.74 | 31.01 | 31.28 | 31.54 | 31.81 |
| 10 FT. | 32.08 | 32.35 | 32.61 | 32.88 | 33.15 | 33.42 | 33.68 | 33.95 | 34.22 | 34.48 | 34.75 | 35.02 |
| 11 FT. | 35.29 | 35.56 | 35.82 | 36.09 | 36.36 | 36.62 | 36.89 | 37.16 | 37.42 | 37.69 | 37.96 | 38.23 |
| 12 FT. | 38.50 | 38.76 | 39.03 | 39.30 | 39.56 | 39.83 | 40.10 | 40.37 | 40.63 | 40.90 | 41.17 | 41.43 |
| 13 FT. | 41.70 | 41.97 | 42.24 | 42.51 | 42.77 | 43.04 | 43.31 | 43.57 | 43.84 | 44.11 | 44.37 | 44.64 |
| 14 FT. | 44.91 | 45.18 | 45.45 | 45.71 | 45.98 | 46.25 | 46.51 | 46.78 | 47.05 | 47.32 | 47.58 | 47.85 |
| 15 FT. | 48.12 | 48.39 | 48.65 | 48.92 | 49.19 | 49.46 | 49.72 | 49.99 | 50.26 | 50.52 | 50.79 | 51.06 |
| 16 FT. | 51.33 | 51.60 | 51.86 | 52.13 | 52.40 | 52.66 | 52.93 | 53.20 | 53.46 | 53.73 | 54.00 | 54.27 |
| 17 FT. | 54.54 | 54.80 | 55.07 | 55.34 | 55.60 | 55.87 | 56.14 | 56.41 | 56.67 | 56.94 | 57.21 | 57.47 |
| 18 FT. | 57.74 | 58.01 | 58.28 | 58.55 | 58.81 | 59.08 | 59.35 | 59.61 | 59.88 | 60.15 | 60.41 | 60.68 |
| 19 FT. | 60.95 | 61.22 | 61.49 | 61.75 | 62.02 | 62.29 | 62.55 | 62.82 | 63.09 | 63.36 | 63.62 | 63.89 |
| 20 FT. | 64.16 | 64.43 | 64.69 | 64.96 | 65.23 | 65.49 | 65.76 | 66.03 | 66.30 | 66.56 | 66.83 | 67.10 |
| 21 FT. | 67.37 | 67.64 | 67.90 | 68.17 | 68.44 | 68.70 | 68.97 | 69.24 | 69.50 | 69.77 | 70.04 | 70.31 |
| 22 FT. | 70.58 | 70.84 | 71.11 | 71.38 | 71.64 | 71.91 | 72.18 | 72.45 | 72.71 | 72.98 | 73.25 | 73.51 |
| 23 FT. | 73.78 | 74.05 | 74.32 | 74.59 | 74.85 | 75.12 | 75.39 | 75.65 | 75.92 | 76.19 | 76.45 | 76.72 |
| 24 FT. | 76.99 | 77.26 | 77.53 | 77.79 | 78.06 | 78.33 | 78.59 | 78.86 | 79.13 | 79.40 | 79.66 | 79.93 |
| 25 FT. | 80.20 | 80.47 | 80.73 | 81.00 | 81.27 | 81.54 | 81.80 | 82.07 | 82.34 | 82.60 | 82.87 | 83.14 |
| 26 FT. | 83.41 | 83.68 | 83.94 | 84.21 | 84.48 | 84.74 | 85.01 | 85.28 | 85.54 | 85.81 | 86.08 | 86.35 |
| 27 FT. | 86.62 | 86.88 | 87.15 | 87.42 | 87.68 | 87.95 | 88.22 | 88.49 | 88.75 | 89.02 | 89.29 | 89.55 |
| 28 FT. | 89.82 | 90.09 | 90.36 | 90.63 | 90.89 | 91.16 | 91.43 | 91.69 | 91.96 | 92.23 | 92.49 | 92.76 |
| 29 FT. | 93.03 | 93.30 | 93.57 | 93.83 | 94.10 | 94.37 | 94.63 | 94.90 | 95.17 | 95.44 | 95.70 | 95.97 |
| 30 FT. | 96.24 | 96.51 | 96.77 | 97.04 | 97.31 | 97.58 | 97.84 | 98.11 | 98.38 | 98.64 | 98.91 | 99.18 |
| 31 FT. | 99.45 | 99.72 | 99.98 | 100.25 | 100.52 | 100.78 | 101.05 | 101.32 | 101.58 | 101.85 | 102.12 | 102.39 |
| 32 FT. | 102.66 | 102.92 | 103.19 | 103.46 | 103.72 | 103.99 | 104.26 | 104.53 | 104.79 | 105.06 | 105.33 | 105.59 |
| 33 FT. | 105.86 | 106.13 | 106.40 | 106.67 | 106.93 | 107.20 | 107.47 | 107.73 | 108.00 | 108.27 | 108.53 | 108.80 |
| 34 FT. | 109.07 | 109.34 | 109.61 | 109.87 | 110.14 | 110.41 | 110.67 | 110.94 | 111.21 | 111.48 | 111.74 | 112.01 |
| 35 FT. | 112.28 | 112.55 | 112.81 | 113.08 | 113.35 | 113.62 | 113.88 | 114.15 | 114.42 | 114.68 | 114.95 | 115.22 |
| 36 FT. | 115.49 | 115.76 | 116.02 | 116.29 | 116.56 | 116.82 | 117.09 | 117.36 | 117.62 | 117.89 | 118.16 | 118.43 |
| 37 FT. | 118.70 | 118.96 | 119.23 | 119.50 | 119.76 | 120.03 | 120.30 | 120.57 | 120.83 | 121.10 | 121.37 | 121.63 |
| 38 FT. | 121.90 | 122.17 | 122.44 | 122.71 | 122.97 | 123.24 | 123.51 | 123.77 | 124.04 | 124.31 | 124.57 | 124.84 |
| 39 FT. | 125.11 | 125.38 | 125.65 | 125.91 | 126.18 | 126.45 | 126.71 | 126.98 | 127.25 | 127.52 | 127.78 | 128.05 |
| 40 FT. | 128.32 | 128.59 | 128.85 | 129.12 | 129.39 | 129.66 | 129.92 | 130.19 | 130.46 | 130.72 | 130.99 | 131.26 |

Retro-R® Panel



| DESCRIPTION | | | | | PRICED PER SQUARE |
|-------------|----------|-------------|----------------|-------------------|-------------------|
| GAUGE | COVERAGE | YIELD (PSI) | WEIGHT PER SQ. | FINISH | PRICE |
| 29 | 36" | 80,000 | 64# | Galvalume Plus® α | ✓ |
| 29 | 36" | 80,000 | 64# | Signature® 200 * | ✓ |
| 26 | 36" | 80,000 | 84# | Signature® 200 * | Please Inquire |

*** See MBCI Color Chart documents for available colors.**

▫ The Galvalume Plus coating is subject to variances in spangle from coil to coil which may result in noticeable shade variation in installed panels. The Galvalume Plus coating is also subject to differential weathering after panel installation. Panels may appear to be different shades due to this weathering characteristic. If a consistent appearance is required, recommends that pre-painted panels be used in lieu of Galvalume Plus. Shade variation in panels manufactured from Galvalume Plus coated material do not diminish the structural integrity of the product. These shade variations should be anticipated and are not a cause for rejection.

Consult the COMMERCIAL/INDUSTRIAL OR RETRO-R® PANEL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Panel Pricing:

1. The Retro-R® panel pricing is based on a 38 1/4" sheet width (see chart on page 13).
2. Minimum quantities may be required for certain panel gauges and/or colors.
3. Panels 4'-0" in length or shorter will incur an additional charge, please inquire.
4. Pricing includes the drip stop backer.

Packaging Cost:

1. Maximum 3000 pounds or 75 panels per bundle.
2. Block and band, waster sheet top and bottom\$2.80/linear foot
3. LTL Package - block and band, waster sheet top and bottom, angle board sides and ends\$3.50/linear foot
4. Export Packaging per quote only.

Delivery:

1. 29 gauge - Stocked Signature® 200 colors (see MBCI Color Chart)Contact your local Customer Service Representative for lead times.
2. 29 gauge - Signature® 300 colors (contact for selection)Contact your local Customer Service Representative for lead times.
3. 26 gauge - (Galvalume Plus® and Signature® 200, 150 Square min.)Contact your local Customer Service Representative for lead times.

Note:

1. Maximum panel length is 40'-0".
2. Existing panels to which the Retro-R® panel will be attached, must be 36" wide and have a major ribs a minimum of 1 1/4" deep or deeper.
3. **Drip stop material at eave can be fused with heat gun to prevent moisture wicking.**

IMPORTANT NOTICE TO INSTALLER/CUSTOMER: Material should be inspected carefully prior to installation for defects including excessive oil canning. **Installation of material constitutes acceptance.**

Cee or Zee



Cee



Zee

| DESCRIPTION | | | | PRICED PER 100 LF | |
|-------------|---------------|-------|---------------|-------------------|------------|
| NORMAL SIZE | ACTUAL SIZE * | GAUGE | WEIGHT PER LF | RED OXIDE | GALVANIZED |
| 4 x 2 | 4 x 2 | 16 | 1.75# | ✓ | ✓ |
| 4 x 2 | 4 x 2 | 14 | 2.10# | ✓ | ✓ |
| 4 x 2½ | 4 x 2⅛ x 2¾ | 16 | 1.95# | ✓ | ✓ |
| 4 x 2½ | 4 x 2⅛ x 2¾ | 14 | 2.33# | ✓ | ✓ |
| 5 x 2½ | 5 x 2⅛ x 2¾ | 16 | 2.15# | ✓ | ✓ |
| 5 x 2½ | 5 x 2⅛ x 2¾ | 14 | 2.57# | ✓ | ✓ |
| 6 x 2½ | 6 x 2⅛ x 2¾ | 16 | 2.34# | ✓ | ✓ |
| 6 x 2½ | 6 x 2⅛ x 2¾ | 14 | 2.80# | ✓ | ✓ |
| 7 x 2½ | 7 x 2⅛ x 2¾ | 16 | 2.54# | ✓ | ✓ |
| 7 x 2½ | 7 x 2⅛ x 2¾ | 14 | 3.04# | ✓ | ✓ |
| 7 x 3 | 7 x 2⅝ x 2⅞ | 14 | 3.27# | ✓ | ✓ |
| 7 x 3 | 7 x 2⅝ x 2⅞ | 12 | 4.88# | ✓ | ✓ |
| 8 x 2½ | 8 x 2⅛ x 2¾ | 16 | 2.73# | ✓ | ✓ |
| 8 x 2½ | 8 x 2⅛ x 2¾ | 14 | 3.27# | ✓ | ✓ |
| 8 x 2½ | 8 x 2⅛ x 2¾ | 13 | 3.95# | ✓ | N/A |
| 8 x 2½ | 8 x 2⅛ x 2¾ | 12 | 4.88# | ✓ | ✓ |
| 8 x 3 | 8 x 2⅝ x 2⅞ | 16 | 2.93# | ✓ | ✓ |
| 8 x 3 | 8 x 2⅝ x 2⅞ | 14 | 3.50# | ✓ | ✓ |
| 8 x 3 | 8 x 2⅝ x 2⅞ | 12 | 5.23# | ✓ | ✓ |

* Actual size does not apply to Cees. It refers to unequal flange Zees only.

PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):

Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap)\$1.05 per zee or cee

Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap)\$1.25 per zee or cee

Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap)\$1.25 per zee or cee

Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap)\$1.55 per zee or cee

SPECIAL PUNCHING:\$2.65 per zee or cee

PRICING Note:

1. Consult the technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1¾" from the end of the purlin.
3. Length tolerance is ± ¼"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

Cee or Zee (Continued)



| DESCRIPTION | | | | PRICED PER 100 LF | |
|-------------|---------------|-------|---------------|-------------------|------------|
| NORMAL SIZE | ACTUAL SIZE * | GAUGE | WEIGHT PER LF | RED OXIDE | GALVANIZED |
| 8 x 3½ | 8 x 3⅛ x 3¾ | 14 | 3.74# | ✓ | ✓ |
| 8 x 3½ | 8 x 3⅛ x 3¾ | 13 | 4.52# | ✓ | N/A |
| 8 x 3½ | 8 x 3⅛ x 3¾ | 12 | 5.58# | ✓ | ✓ |
| 9 x 2½ | 9 x 2⅛ x 2¾ | 16 | 2.93# | ✓ | ✓ |
| 9 x 2½ | 9 x 2⅛ x 2¾ | 14 | 3.50# | ✓ | ✓ |
| 9 x 2½ | 9 x 2⅛ x 2¾ | 12 | 5.23# | ✓ | ✓ |
| 9 x 3 | 9 x 2⅝ x 2⅞ | 14 | 3.74# | ✓ | ✓ |
| 9 x 3 | 9 x 2⅝ x 2⅞ | 12 | 5.58# | ✓ | ✓ |
| 10 x 2½ | 10 x 2⅛ x 2¾ | 14 | 3.74# | ✓ | ✓ |
| 10 x 2½ | 10 x 2⅛ x 2¾ | 12 | 5.58# | ✓ | ✓ |
| 10 x 3 | 10 x 2⅝ x 2⅞ | 14 | 3.97# | ✓ | ✓ |
| 10 x 3 | 10 x 2⅝ x 2⅞ | 12 | 5.93# | ✓ | ✓ |
| 10 x 3½ | 10 x 3⅛ x 3¾ | 14 | 4.21# | ✓ | ✓ |
| 10 x 3½ | 10 x 3⅛ x 3¾ | 12 | 6.28# | ✓ | ✓ |
| 11 x 2½ | 11 x 2⅛ x 2¾ | 14 | 3.97# | ✓ | ✓ |
| 11 x 2½ | 11 x 2⅛ x 2¾ | 12 | 5.93# | ✓ | ✓ |
| 11 x 3½ | 11 x 3⅛ x 3¾ | 14 | 4.44# | ✓ | ✓ |
| 11 x 3½ | 11 x 3⅛ x 3¾ | 12 | 6.63# | ✓ | ✓ |
| 12 x 2½ | 12 x 2⅛ x 2¾ | 14 | 4.21# | ✓ | ✓ |
| 12 x 2½ | 12 x 2⅛ x 2¾ | 12 | 6.28# | ✓ | ✓ |
| 12 x 3 | 12 x 2⅝ x 2⅞ | 14 | 4.44# | ✓ | ✓ |
| 12 x 3 | 12 x 2⅝ x 2⅞ | 12 | 6.63# | ✓ | ✓ |
| 12 x 3½ | 12 x 3⅛ x 3¾ | 14 | 4.68# | ✓ | ✓ |
| 12 x 3½ | 12 x 3⅛ x 3¾ | 12 | 6.98# | ✓ | ✓ |

* Actual size does not apply to Cees. It refers to unequal flangeZees only.

PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):

- Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap)\$1.05 per zee or cee
- Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap)\$1.25 per zee or cee
- Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap)\$1.25 per zee or cee
- Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap)\$1.55 per zee or cee
- SPECIAL PUNCHING:**\$2.65 per zee or cee

PRICING NOTES:

1. Consult the technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1 ¾" from the end of the purlin.
3. Length tolerance is ± ¼"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**



Cee Only



| DESCRIPTION | | | PRICED PER 100 LF | | |
|--------------|-------|---------------|-------------------|------------|--|
| NOMINAL SIZE | GAUGE | WEIGHT PER LF | RED OXIDE | GALVANIZED | |
| 6 x 3 | 16 | 2.54# | ✓ | ✓ | |
| 6 x 3 | 14 | 3.04# | ✓ | ✓ | |
| 6 x 3½ | 14 | 3.27# | ✓ | ✓ | |
| 6 x 3½ | 12 | 4.88# | ✓ | ✓ | |
| 6 x 4 | 14 | 3.50# | ✓ | ✓ | |
| 6 x 4 | 12 | 5.23# | ✓ | ✓ | |
| 8 x 4 | 14 | 3.97# | ✓ | ✓ | |
| 8 x 4 | 12 | 5.93# | ✓ | ✓ | |
| 10 x 4 | 14 | 4.44# | ✓ | ✓ | |
| 10 x 4 | 12 | 6.63# | ✓ | ✓ | |
| 11 x 3 | 14 | 4.21# | ✓ | ✓ | |
| 11 x 3 | 12 | 6.28# | ✓ | ✓ | |
| 12 x 4 | 14 | 4.91# | ✓ | ✓ | |
| 12 x 4 | 12 | 7.33# | ✓ | ✓ | |

* Actual size does not apply to Cees. It refers to unequal flange Zees only.

PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):

Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap)\$1.05 per zee or cee

Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap)\$1.25 per zee or cee

Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap)\$1.25 per zee or cee

Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap)\$1.55 per zee or cee

SPECIAL PUNCHING:\$2.65 per zee or cee

PRICING NOTES:

1. Consult the technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1¾" from the end of the purlin.
3. Length tolerance is ± ¼"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

Zee Only



| DESCRIPTION | | | | PRICED PER 100 LF | |
|-------------|-------------|-------|---------------|-------------------|------------|
| NORMAL SIZE | ACTUAL SIZE | GAUGE | WEIGHT PER LF | RED OXIDE | GALVANIZED |
| 3½ x 1½ | N/A | 16 | 1.56# | ✓ | ✓ |
| 3½ x 1½ | N/A | 14 | 1.86# | ✓ | ✓ |
| 4 x 3 | 4 x 2⅝ x 2⅞ | 16 | 2.15# | ✓ | ✓ |
| 4 x 3 | 4 x 2⅝ x 2⅞ | 14 | 2.57# | ✓ | ✓ |
| 4 x 3½ | 4 x 3⅛ x 3⅜ | 16 | 2.34# | ✓ | ✓ |
| 4 x 3½ | 4 x 3⅛ x 3⅜ | 14 | 2.80# | ✓ | ✓ |
| 5 x 3 | 5 x 2⅝ x 2⅞ | 16 | 2.34# | ✓ | ✓ |
| 5 x 3 | 5 x 2⅝ x 2⅞ | 14 | 2.80# | ✓ | ✓ |
| 5 x 3½ | 5 x 3⅛ x 3⅜ | 16 | 2.54# | ✓ | ✓ |
| 5 x 3½ | 5 x 3⅛ x 3⅜ | 14 | 3.04# | ✓ | ✓ |
| 7 x 3½ | 7 x 3⅛ x 3⅜ | 16 | 2.93# | ✓ | ✓ |
| 7 x 3½ | 7 x 3⅛ x 3⅜ | 14 | 3.50# | ✓ | ✓ |
| 7 x 3½ | 7 x 3⅛ x 3⅜ | 12 | 5.23# | ✓ | ✓ |
| 9 x 3½ | 9 x 3⅛ x 3⅜ | 14 | 3.97# | ✓ | ✓ |
| 9 x 3½ | 9 x 3⅛ x 3⅜ | 12 | 5.93# | ✓ | ✓ |

PUNCHING PATTERNS (SPECIFY BY PATTERN LETTER):

- Pattern A: Common Web (for Simple Span, Short Lap, Long Lap 3' Offset and Max Lap)\$1.05 per zee or cee
- Pattern B: Common Web (all laps available in Pattern A plus 5' Offset and Super Lap)\$1.25 per zee or cee
- Pattern D: Common Flange (for Simple Span, Short Lap, Long Lap, 3' Offset and Max Lap)\$1.25 per zee or cee
- Pattern E: Common Flange (all laps available in Pattern D plus 5' Offset and Super Lap)\$1.55 per zee or cee
- SPECIAL PUNCHING:**\$2.65 per zee or cee

PRICING NOTES:

1. Consult the technical manuals for proper production application, design details and other product information.
2. All common patterns have the first set of holes 1¾" from the end of the purlin.
3. Length tolerance is ± ¼"
4. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

Channel





| DESCRIPTION | | | | | | PRICED PER EACH | |
|-------------|----------|-------|--------------------------|---------------------------|--------|-----------------|------------|
| SIZE | GIRTH | GAUGE | WEIGHT EACH RED OXIDE | WEIGHT EACH GALVANIZED | LENGTH | RED OXIDE | GALVANIZED |
| 4 1/8 x 2 | 7 15/16 | 16 | 31.13# | 32.24# | 20'-0" | ✓ | ✓ |
| 4 1/8 x 2 | 7 15/16 | 16 | 38.92# | 40.31# | 25'-0" | ✓ | ✓ |
| 4 1/8 x 2 | 7 15/16 | 14 | 37.25# | 38.36# | 20'-0" | ✓ | ✓ |
| 4 1/8 x 2 | 7 15/16 | 14 | 46.56# | 47.94# | 25'-0" | ✓ | ✓ |
| 6 1/8 x 2 | 9 15/16 | 16 | 38.98# | 40.37# | 20'-0" | ✓ | ✓ |
| 6 1/8 x 2 | 9 15/16 | 16 | 48.72# | 50.46# | 25'-0" | ✓ | ✓ |
| 6 1/8 x 2 | 9 15/16 | 14 | 46.63# | 48.02# | 20'-0" | ✓ | ✓ |
| 6 1/8 x 2 | 9 15/16 | 14 | 58.29# | 60.03# | 25'-0" | ✓ | ✓ |
| 6 1/8 x 2 | 9 15/16 | 12 | 69.60# | 70.99# | 20'-0" | ✓ | ✓ |
| 6 1/8 x 2 | 9 15/16 | 12 | 87.00# | 88.74# | 25'-0" | ✓ | ✓ |
| 8 1/8 x 2 | 11 15/16 | 16 | 46.82# | 48.49# | 20'-0" | ✓ | ✓ |
| 8 1/8 x 2 | 11 15/16 | 16 | 58.53# | 60.62# | 25'-0" | ✓ | ✓ |
| 8 1/8 x 2 | 11 15/16 | 14 | 56.02# | 57.68# | 20'-0" | ✓ | ✓ |
| 8 1/8 x 2 | 11 15/16 | 14 | 70.02# | 72.11# | 25'-0" | ✓ | ✓ |
| 8 1/8 x 2 | 11 15/16 | 12 | 83.61# | 85.28# | 20'-0" | ✓ | ✓ |
| 8 1/8 x 2 | 11 15/16 | 12 | 104.51# | 106.60# | 25'-0" | ✓ | ✓ |
| 10 1/8 x 2 | 13 15/16 | 16 | 54.67# | 56.62# | 20'-0" | ✓ | ✓ |
| 10 1/8 x 2 | 13 15/16 | 16 | 68.33# | 70.77# | 25'-0" | ✓ | ✓ |
| 10 1/8 x 2 | 13 15/16 | 14 | 65.40# | 67.35# | 20'-0" | ✓ | ✓ |
| 10 1/8 x 2 | 13 15/16 | 14 | 81.76# | 84.19# | 25'-0" | ✓ | ✓ |
| 10 1/8 x 2 | 13 15/16 | 12 | 97.62# | 99.57# | 20'-0" | ✓ | ✓ |
| 10 1/8 x 2 | 13 15/16 | 12 | 122.02# | 124.46# | 25'-0" | ✓ | ✓ |

Consult the COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Note:

- For lengths other than 20'-0", use custom structural shapes chart on page 22.

Angle - 2 x 2, 2 x 4, and 3 x 3



| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|-------|------------|-------------|--------|-----------------|
| SIZE | GAUGE | FINISH | WEIGHT EACH | LENGTH | PRICE |
| 2 x 2 | 14 | Red Oxide | 18.48# | 20'-0" | ✓ |
| 2 x 2 | 14 | Galvanized | 19.03# | 20'-0" | ✓ |
| 2 x 2 | 16 | Red Oxide | 15.44# | 20'-0" | ✓ |
| 2 x 2 | 16 | Galvanized | 16.00# | 20'-0" | ✓ |
| 2 x 4 | 14 | Red Oxide | 27.86# | 20'-0" | ✓ |
| 2 x 4 | 14 | Galvanized | 28.69# | 20'-0" | ✓ |
| 2 x 4 | 16 | Red Oxide | 23.29# | 20'-0" | ✓ |
| 2 x 4 | 16 | Galvanized | 24.12# | 20'-0" | ✓ |
| 3 x 3 | 14 | Red Oxide | 27.86# | 20'-0" | ✓ |
| 3 x 3 | 14 | Galvanized | 28.69# | 20'-0" | ✓ |
| 3 x 3 | 16 | Red Oxide | 23.29# | 20'-0" | ✓ |
| 3 x 3 | 16 | Galvanized | 24.12# | 20'-0" | ✓ |

Note:

- For lengths other than 20'-0", use custom structural shapes chart on page 23.

Eave Strut - 8 x 5 x 2³/₄ - Standard Length



| DESCRIPTION | | | | | PRICED PER EACH |
|---------------------------------------|-------|------------|-------------|-------------|-----------------|
| SIZE | GAUGE | FINISH | WEIGHT EACH | LENGTH | PRICE |
| 8 x 5 x 2 ³ / ₄ | 14 | Red Oxide | 84.00# | 19'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 14 | Red Oxide | 105.04# | 24'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 14 | Red Oxide | 126.09# | 29'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 14 | Galvanized | 86.50# | 19'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 14 | Galvanized | 108.17# | 24'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 14 | Galvanized | 129.84# | 29'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 12 | Red Oxide | 125.37# | 19'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 12 | Red Oxide | 156.78# | 24'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 12 | Red Oxide | 188.19# | 29'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 12 | Galvanized | 127.88# | 19'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 12 | Galvanized | 159.92# | 24'-11 1/2" | ✓ |
| 8 x 5 x 2 ³ / ₄ | 12 | Galvanized | 191.95# | 29'-11 1/2" | ✓ |

Eave Strut - 8 x 5 x 2³/₄ - Custom Length

| DESCRIPTION | | | | PRICED PER 100 LF |
|---------------------------------------|-------|------------|---------------|-------------------|
| SIZE | GAUGE | FINISH | WEIGHT PER LF | PRICE |
| 8 x 5 x 2 ³ / ₄ | 14 | Red Oxide | 4.17# | ✓ |
| 8 x 5 x 2 ³ / ₄ | 14 | Galvanized | 4.17# | ✓ |
| 8 x 5 x 2 ³ / ₄ | 12 | Red Oxide | 6.20# | ✓ |
| 8 x 5 x 2 ³ / ₄ | 12 | Galvanized | 6.20# | ✓ |

Consult the COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

Specify punch pattern - No punch, Standard punch or Optional punch

Special Punching:.....Add \$2.65per Eave Strut

Pricing Note:

1. All optional patterns have the first set of holes 1³/₄" from the end of the eave strut.
2. All standard patterns have the first set of holes 1¹/₄" from the end of the eave strut.
3. Refer to Commercial/Industrial Technical/Product Information booklet for further information on punch patterns.
4. Length tolerance is ± 1/4".
5. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

Eave Strut - 8 x 5 x 5 - Standard Length



| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|-------|------------|-------------|-------------|-----------------|
| SIZE | GAUGE | FINISH | WEIGHT EACH | LENGTH | PRICE |
| 8 x 5 x 5 | 14 | Red Oxide | 93.37# | 19'-11 1/2" | ✓ |
| 8 x 5 x 5 | 14 | Red Oxide | 116.76# | 24'-11 1/2" | ✓ |
| 8 x 5 x 5 | 14 | Red Oxide | 140.15# | 29'-11 1/2" | ✓ |
| 8 x 5 x 5 | 14 | Galvanized | 96.14# | 19'-11 1/2" | ✓ |
| 8 x 5 x 5 | 14 | Galvanized | 120.23# | 24'-11 1/2" | ✓ |
| 8 x 5 x 5 | 14 | Galvanized | 144.31# | 29'-11 1/2" | ✓ |
| 8 x 5 x 5 | 12 | Red Oxide | 139.35# | 19'-11 1/2" | ✓ |
| 8 x 5 x 5 | 12 | Red Oxide | 174.26# | 24'-11 1/2" | ✓ |
| 8 x 5 x 5 | 12 | Red Oxide | 209.17# | 29'-11 1/2" | ✓ |
| 8 x 5 x 5 | 12 | Galvanized | 142.14# | 19'-11 1/2" | ✓ |
| 8 x 5 x 5 | 12 | Galvanized | 177.75# | 24'-11 1/2" | ✓ |
| 8 x 5 x 5 | 12 | Galvanized | 213.36# | 29'-11 1/2" | ✓ |

Eave Strut - 8 x 5 x 5 - Custom Length

| DESCRIPTION | | | | PRICED PER 100 LF |
|-------------|-------|------------|---------------|-------------------|
| SIZE | GAUGE | FINISH | WEIGHT PER LF | PRICE |
| 8 x 5 x 5 | 14 | Red Oxide | 4.64# | ✓ |
| 8 x 5 x 5 | 14 | Galvanized | 4.64# | ✓ |
| 8 x 5 x 5 | 12 | Red Oxide | 6.89# | ✓ |
| 8 x 5 x 5 | 12 | Galvanized | 6.89# | ✓ |

Consult the **COMMERCIAL/INDUSTRIAL TECHNICAL/PRODUCT INFORMATION MANUAL** for proper product application, design details and other product information.

Specify punch pattern - No punch, Standard punch or Optional punch

Special Punching:.....Add \$2.65per Eave Strut

Pricing Note:

1. All optional patterns have the first set of holes 1 3/4" from the end of the eave strut.
2. All standard patterns have the first set of holes 1 1/4" from the end of the eave strut.
3. Refer to Commercial/Industrial Technical/Product Information booklet for further information on punch patterns.
4. Length tolerance is ± 1/4".
5. **For pricing, round lengths up to the nearest 3" increment - Parts shorter than 5'-0" are priced as minimum 5'-0" length.**

Custom Structural Shapes

| DESCRIPTION | | | PRICED PER 100 LF | |
|-------------|------------------------------------|-------|-------------------|------------|
| PART # | GIRTH | GAUGE | RED OXIDE | GALVANIZED |
| PL03 | 3 ¹⁵ / ₁₆ " | 16 | ✓ | ✓ |
| PL03 | 3 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL05 | 5 ¹⁵ / ₁₆ " | 16 | ✓ | ✓ |
| PL05 | 5 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL07 | 7 ¹⁵ / ₁₆ " | 16 | ✓ | ✓ |
| PL07 | 7 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL08 | 8 ¹⁵ / ₁₆ " | 16 | ✓ | ✓ |
| PL08 | 8 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL09 | 9 ¹⁵ / ₁₆ " | 16 | ✓ | ✓ |
| PL09 | 9 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL010 | 10 ¹⁵ / ₁₆ " | 16 | ✓ | ✓ |
| PL010 | 10 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL011 | 11 ¹⁵ / ₁₆ " | 16 | ✓ | ✓ |
| PL011 | 11 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL012 | 12 ¹⁵ / ₁₆ " | 16 | ✓ | ✓ |
| PL012 | 12 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL013 | 13 ¹⁵ / ₁₆ " | 16 | ✓ | ✓ |
| PL013 | 13 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL013 | 13 ¹⁵ / ₁₆ " | 12 | ✓ | ✓ |
| PL014 | 14 ¹⁵ / ₁₆ " | 16 | ✓ | ✓ |
| PL014 | 14 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL014 | 14 ¹⁵ / ₁₆ " | 12 | ✓ | ✓ |
| PL015 | 15 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL015 | 15 ¹⁵ / ₁₆ " | 12 | ✓ | ✓ |
| PL016 | 16 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL016 | 16 ¹⁵ / ₁₆ " | 12 | ✓ | ✓ |
| PL017 | 17 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL017 | 17 ¹⁵ / ₁₆ " | 12 | ✓ | ✓ |
| PL018 | 18 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL018 | 18 ¹⁵ / ₁₆ " | 12 | ✓ | ✓ |
| PL019 | 19 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL019 | 19 ¹⁵ / ₁₆ " | 12 | ✓ | ✓ |
| PL020 | 20 ¹⁵ / ₁₆ " | 14 | ✓ | ✓ |
| PL020 | 20 ¹⁵ / ₁₆ " | 12 | ✓ | ✓ |


Price your own custom structural shapes:

1. Select the strip width of material to be used
2. Prices in chart below are for 100 Linear Feet
Multiply the length of the part times the price per Linear Feet and divide by 100
This will provide the material price for the part length
3. Add \$2.10 for each break
4. Pricing includes banding material for shipment

Note:

1. Maximum closed angle is 45 degrees
2. Hems cannot be fabricated
3. Slight metal fracturing may occur at bend lines
4. Minimum break dimension is 1¹/₈"
5. All shapes are subject to tolerances published by MBMA

Hat Section (HS-1)




Note:

* Random colors are subject to availability


| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|-------|------------|-------------|--------|-----------------|
| SIZE | GAUGE | FINISH | WEIGHT EACH | LENGTH | PRICE |
| HW-3100 | 22 | Galvanized | 14.00# | 20'-0" | ✓ |
| HW-3105 | 16 | Red Oxide | 25.20# | 20'-0" | ✓ |
| HW-3105 | 16 | Galvanized | 25.80# | 20'-0" | ✓ |

Channel Section (CS-1)




| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|-------|------------|-------------|--------|-----------------|
| SIZE | GAUGE | FINISH | WEIGHT EACH | LENGTH | PRICE |
| HW-3110 | 18 | Galvanized | 15.70# | 20'-0" | ✓ |

1" Sub Girt (SG-1)




| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|-------|------------|-------------|--------|-----------------|
| SIZE | GAUGE | FINISH | WEIGHT EACH | LENGTH | PRICE |
| HW-3120 | 18 | Galvanized | 22.00# | 20'-0" | ✓ |
| HW-3121 | 16 | Red Oxide | 27.40# | 20'-0" | ✓ |

1/2" Sub Girt (SG-2)




| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|-------|------------|-------------|--------|-----------------|
| SIZE | GAUGE | FINISH | WEIGHT EACH | LENGTH | PRICE |
| HW-3130 | 18 | Galvanized | 13.60# | 20'-0" | ✓ |
| HW-3131 | 16 | Red Oxide | 16.40# | 20'-0" | ✓ |

Furring Zee



| DESCRIPTION | | | | | | PRICED PER EACH |
|-------------|---------|-------|------------|-------------|--------|-----------------|
| PART # | DIM "A" | GAUGE | FINISH | COIL WEIGHT | LENGTH | PRICE |
| HW-3020 | 1 1/8" | 22 | Galvanized | 3.33# | 10'-0" | ✓ |
| HW-3021 | 2 1/8" | 22 | Galvanized | 4.39# | 10'-0" | ✓ |
| HW-3022 | 3 1/8" | 18 | Galvanized | 8.66# | 10'-0" | ✓ |
| HW-3023 | 4 1/8" | 18 | Galvanized | 10.35# | 10'-0" | ✓ |
| HW-3024 | 3 1/8" | 16 | Red Oxide | 10.54# | 10'-0" | ✓ |
| HW-3025 | 4 1/8" | 16 | Red Oxide | 12.60# | 10'-0" | ✓ |

Strapping




Note:

• *Galvalume Plus® may require extended lead time. Please Inquire.


| DESCRIPTION | | | | | | PRICED PER COIL |
|-------------|---------|-------|-------------------|-------------|---------|-----------------|
| PART # | DIM "A" | GAUGE | FINISH | COIL WEIGHT | LENGTH | PRICE |
| FL-471 | 2" | 24 | Galvalume Plus® | 16.78# | 100'-0" | ✓ |
| FL-569 | 2" | 24 | White Wash Coat | 83.91# | 500'-0" | ✓ |
| FL-569 | 2" | 24 | Galvalume Plus® * | 84.02# | 500'-0" | ✓ |

Retrofit Bracing Angle



| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|-------|---------------|-------------|--------|-----------------|
| SIZE | GAUGE | FINISH | WEIGHT EACH | LENGTH | PRICE |
| HW-4659 | 22 | Random Colors | 8.69# | 21'-0" | ✓ |

Roof Hugger - Model C




- **Prices are non-discountable**
- Add \$275 crate/packaging fee for orders under 1,500 LF
- Weight per 10'-0" piece - 10.60#

Note:

1. Prices below exclude tax, freight, engineering fees and crating fee.
2. **This part fits most, but not all, R profiles. Customer should confirm fit.**
3. Fasteners are ordered separately. ¼"-14 Tek 3 is typical.
4. If customer requires engineering, call with project specifics to obtain engineering fee.
5. Will assume no responsibility for code compliance unless engineering is included in project proposal.
6. Delivery - approximately 5 working days.

| DESCRIPTION | PRICED PER EACH | | | | | | | | | | | |
|-------------|-----------------|-----------|-----------|-----------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|-------------|
| PART # | 1 - 249 | 250 - 499 | 500 - 749 | 750 - 999 | 1,000 - 1,499 | 1,500 - 1,999 | 2,000 - 2,999 | 3,000 - 3,999 | 4,000 - 4,4999 | 5,000 - 7,499 | 7,500 - 9,999 | OVER 10,000 |
| HW-1240C | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

R Panel Light Transmitting Panel



Note:

- HW-1432, HW-1434, HW-1436 are State of Florida Approved
- Note: It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.**


| DESCRIPTION | | | | | | | | PRICED PER EACH |
|-------------|-------------------------------------------|--------|-------|------|----------------|-------------|-------|-----------------|
| PART # | DESCRIPTION | LENGTH | COLOR | TYPE | WEIGHT / SQ FT | WEIGHT EACH | PRICE | |
| HW-1509 | High Strength Fiberglass | 10'-8" | White | 1 | 8 ounce | 16.89# | ✓ | |
| HW-1490 | Insulated High Strength Fiberglass | 11'-0" | White | 1 | 8 ounce | 17.39# | ✓ | |
| HW-1432 | High Strength Fiberglass - U.V. Resistant | 10'-8" | White | 1 | 8 ounce | 16.89# | ✓ | |
| HW-1434 | High Strength Fiberglass - U.V. Resistant | 11'-0" | White | 1 | 8 ounce | 17.42# | ✓ | |
| HW-1436 | High Strength Fiberglass - U.V. Resistant | 12'-0" | White | 1 | 8 ounce | 19.00# | ✓ | |
| HW-1520 | Polycarbonate | 10'-6" | Clear | 1 | 5 ounce | 7.88# | ✓ | |

Note:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

Consult the **COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL** for proper product application, design details and other product information.

U Panel Light Transmitting Panel



Note: It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.


| DESCRIPTION | | | | | | | PRICED PER EACH |
|-------------|-------------------------------------------|--------|-------|------|----------------|-------------|-----------------|
| PART # | DESCRIPTION | LENGTH | COLOR | TYPE | WEIGHT / SQ FT | WEIGHT EACH | PRICE |
| HW-1542 | High Strength Fiberglass | 10'-8" | White | 1 | 8 ounce | 16.89# | ✓ |
| HW-1438 | High Strength Fiberglass - U.V. Resistant | 10'-8" | White | 1 | 8 ounce | 16.89# | ✓ |
| HW-1440 | High Strength Fiberglass - U.V. Resistant | 12'-0" | White | 1 | 8 ounce | 19.00# | ✓ |

Note:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

Consult the COMMERCIAL/INDUSTRIAL OR "PBR" and "PBU" TECHNICAL/PRODUCT INFORMATION MANUAL for proper product application, design details and other product information.

7.2 Panel Light Transmitting Panel




Note: It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.

| DESCRIPTION | | | | | | | PRICED PER EACH |
|-------------|--------------------------|--------|-------|------|----------------|-------------|-----------------|
| PART # | DESCRIPTION | LENGTH | COLOR | TYPE | WEIGHT / SQ FT | WEIGHT EACH | PRICE |
| HW-1528 | High Strength Fiberglass | 12'-0" | White | 1 | 8 ounce | 19.00# | ✓ |

Note:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

C Panel Light Transmitting Panel



High Strength Fiberglass

Note:


It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.

| DESCRIPTION | | | | | | | PRICED PER EACH |
|-------------|--------------------------|--------|-------|------|----------------|-------------|-----------------|
| PART # | DESCRIPTION | LENGTH | COLOR | TYPE | WEIGHT / SQ FT | WEIGHT EACH | PRICE |
| HW-1645 | High Strength Fiberglass | 12'-0" | White | 1 | 8 ounce | 19.00# | ✓ |

Note:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

AVP Panel Light Transmitting Panel



Low Modulus - Non Reinforced

Note:


It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.

| DESCRIPTION | | | | | | | PRICED PER EACH |
|-------------|------------------------------|--------|-------|------|----------------|-------------|-----------------|
| PART # | DESCRIPTION | LENGTH | COLOR | TYPE | WEIGHT / SQ FT | WEIGHT EACH | PRICE |
| HW-1430 | Low Modulus - Non Reinforced | 11'-0" | White | 1 | 8 ounce | 17.30# | ✓ |

Note:

1. Green light transmitting panels are available on special request.
2. Type 2 (fire rated) light transmitting panels are available, please inquire.

Retro-R® Panel Light Transmitting Panel



High Strength Fiberglass

Note:

It is the users responsibility to ensure that the installation and use of all light transmitting panels comply with State, Federal and OSHA regulations and laws, including, but not limited to, guarding all light transmitting panels with screens, fixed standard railings, or other acceptable safety controls that prevent fall-through.

| DESCRIPTION | | | | | | | PRICED PER EACH |
|-------------|--------------------------|--------|-------|------|----------------|-------------|-----------------|
| PART # | DESCRIPTION | LENGTH | COLOR | TYPE | WEIGHT / SQ FT | WEIGHT EACH | PRICE |
| HW-1558 | High Strength Fiberglass | 10'-8" | White | 1 | 8 ounce | 16.89# | ✓ |

1/4" Rubber Grommet




Note:


- Use to connect LTP Sidelaps in wall applications
- Fasteners sold in quantities of 250 only
- Fastener not available painted

| DESCRIPTION | | | | | PRICED PER 1000 |
|-------------|-----------|----------|-------------|-----------------|-----------------|
| PART # | HEAD SIZE | TYPE | COLOR | WEIGHT PER 1000 | PRICE |
| HW-399 | 1/4" | Aluminum | Polar White | .01# | ✓ |

Continuous Vent



Flat Skirt




Die-Formed Skirt

Note:

- Includes flat base, two end skirts and single vent operator.
- Vent will accommodate up to 6:12 slope.


| DESCRIPTION | | | | | PRICED PER EACH | |
|-------------|--------------|-----------|-------|-------------|-----------------|-------|
| PART # | SIZE | TYPE | GAUGE | WEIGHT EACH | GALVALUME PLUS® | WHITE |
| HW-702 | 9" x 10'-0" | Flat Base | 26 | 115.00# | ✓ | ✓ |
| HW-704 | 12" x 10'-0" | Flat Base | 26 | 150.00# | ✓ | ✓ |
| HW-702R | 9" x 10'-0" | PBR Base | 26 | 115.00# | ✓ | ✓ |
| HW-702U | 9" x 10'-0" | PBU Base | 26 | 115.00# | ✓ | ✓ |
| HW-704R | 12" x 10'-0" | PBR Base | 26 | 150.00# | ✓ | ✓ |
| HW-704U | 12" x 10'-0" | PBU Base | 26 | 150.00# | ✓ | ✓ |

Vent Damper Operator Parts



| DESCRIPTION | | | | PRICED PER EACH |
|-------------|-----------------------------|---------------|-------------|-----------------|
| PART # | DESCRIPTION | PRICED PER | WEIGHT EACH | PRICE |
| HW-705 | Vent Cable (3/16") | Foot | .10# | ✓ |
| HW-706 | Vent Pulley | Each | .25# | ✓ |
| HW-708 | Vent Cable Clamp | Each | .10# | ✓ |
| HW-710 | Vent Eye Bolt (1/4" x 2") | Each | .10# | ✓ |
| HW-712 | Vent Pull Chain with Handle | 3'-0" Section | 1.00# | ✓ |
| HW-714 | Vent "S" Hook (1 1/2") | Each | .01# | ✓ |

Die-Formed Ridge Cap




Note:

- * "PBR" and "PBU" Maximum roof slope is 5:12
- ** 7.2 Maximum roof slope is 3:12
- Specify roof slope

| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|--------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | PROFILE | LENGTH | GAUGE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-49 | PBR * | 2'-6" | 26 | 7.13# | ✓ | ✓ | ✓ |
| FL-51 | PBR * | 3'-0" | 26 | 8.55# | ✓ | ✓ | ✓ |
| FL-50 | PBU * | 2'-6" | 26 | 7.13# | ✓ | ✓ | ✓ |
| FL-52 | PBU * | 3'-0" | 26 | 8.55# | ✓ | ✓ | ✓ |
| FL-68 | 7.2 Panel ** | 3'-0" | 26 | 9.39# | ✓ | ✓ | N/A |

Die-Formed Ridge Cap - Retro-R®




Note:

- Price includes closed cell foam backer
- Maximum roof slope is 4:12
- Specify roof slope


| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|----------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | PROFILE | LENGTH | GAUGE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-53B | Retro-R® | 3'-0" | 29 | 6.75# | ✓ | ✓ | N/A |

Rubber Roof Jack




| DESCRIPTION | | | | | PRICED PER EACH |
|-------------------------|-------------------|-----------|-----------|-------------|-----------------|
| PART # | TEMPERATURE RANGE | PIPE SIZE | BASE DIM. | WEIGHT EACH | PRICE |
| HW-1000 | -65°F to +212°F | ¼" - 1½" | 4½" | .17# | ✓ |
| HW-1001 | -65°F to +212°F | 1½" - 4" | 8" | .50# | ✓ |
| HW-1002 | -65°F to +212°F | 4¼" - 6" | 11" | .95# | ✓ |
| HW-1003 | -65°F to +212°F | 6" - 11" | 14" | 1.55# | ✓ |
| HW-1004 | -65°F to +212°F | 7" - 13" | 17" | 2.56# | ✓ |
| HIGH TEMPERATURE | | | | | |
| HW-1046 | -100°F to +437°F | ¼" - 4" | 8" | .50# | ✓ |
| HW-1047 | -100°F to +437°F | 4 ¼" - 7" | 11" | .95# | ✓ |
| HW-1048 | -100°F to +437°F | 7" - 13" | 17" | 2.56# | ✓ |
| HW-1049 | -100°F to +437°F | 10" - 18" | 25" | 3.86# | ✓ |

Retrofit Rubber Roof Jack



| DESCRIPTION | | | | | PRICED PER EACH |
|-------------------------|-------------------|------------|-----------|-------------|-----------------|
| PART # | TEMPERATURE RANGE | PIPE SIZE | BASE DIM. | WEIGHT EACH | PRICE |
| HW-1005 | -65°F to +212°F | ¼" - 4" | 8⅜" | .74# | ✓ |
| HW-1006 | -65°F to +212°F | 4" - 9¼" | 14¼" | 2.20# | ✓ |
| HW-1007 | -65°F to +212°F | 9¼" - 16¼" | 21½" | 3.78# | ✓ |
| HIGH TEMPERATURE | | | | | |
| HW-1060 | -100°F to +437°F | ½" - 4" | 8⅜" | .74# | ✓ |
| HW-1061 | -100°F to +437°F | 4" - 9¼" | 14¼" | 2.20# | ✓ |
| HW-1062 | -100°F to +437°F | 9¼" - 16¼" | 21½" | 3.78# | ✓ |


PBR Panel Closure Strip



Note:
• One per panel required

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|---------|-----------|----------|-------------|-----------------|
| PART # | TYPE | ADHESIVE? | SIZE | WEIGHT EACH | PRICE |
| HW-455 | Inside | No | 1" x 36" | .04# | ✓ |
| HW-456 | Outside | Yes | 1" x 36" | .08# | ✓ |


PBU Panel Closure Strip



Note:
• One per panel required

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|---------|-----------|----------|-------------|-----------------|
| PART # | TYPE | ADHESIVE? | SIZE | WEIGHT EACH | PRICE |
| HW-459 | Inside | No | 1" x 36" | .04# | ✓ |
| HW-460 | Outside | Yes | 1" x 36" | .06# | ✓ |

AVP Panel Closure Strip



Note:
• One per panel required

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|---------|-----------|----------|-------------|-----------------|
| PART # | TYPE | ADHESIVE? | SIZE | WEIGHT EACH | PRICE |
| HW-464 | Inside | No | 1" x 36" | .07# | ✓ |
| HW-465 | Outside | Yes | 1" x 36" | .07# | ✓ |

PBC Panel Closure Strip



Inside or Outside

Note:

- One per panel required

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|-------------------|-----------|----------|-------------|-----------------|
| PART # | TYPE | ADHESIVE? | SIZE | WEIGHT EACH | PRICE |
| HW-462 | Inside or Outside | Yes | 1" x 32" | .05# | ✓ |

PBD Panel Closure Strip



Inside or Outside

Note:

- One per panel required

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|-------------------|-----------|----------|-------------|-----------------|
| PART # | TYPE | ADHESIVE? | SIZE | WEIGHT EACH | PRICE |
| HW-463 | Inside or Outside | Yes | 1" x 32" | .04# | ✓ |

7.2 Panel Closure Strip



Note:

- One per panel required

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|-------------------|-----------|----------|-------------|-----------------|
| PART # | TYPE | ADHESIVE? | SIZE | WEIGHT EACH | PRICE |
| HW-461 | Inside or Outside | No | 1" x 36" | .07# | ✓ |

Retro-R® Panel Closure Strip



Inside




Outside

Note:

- One per panel required

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|---------|-----------|----------|-------------|-----------------|
| PART # | TYPE | ADHESIVE? | SIZE | WEIGHT EACH | PRICE |
| HW-468 | Inside | No | 1" x 36" | .21# | ✓ |
| HW-469 | Outside | Yes | 1" x 36" | .15# | ✓ |

PBR Panel Metal Closure




Note:

- 26 gauge material
- Use with PBR Panel - 3 per panel required

| DESCRIPTION | | | | PRICED PER EACH |
|-------------|---------|-----------|-------------|-----------------|
| SIZE | TYPE | FINISH | WEIGHT EACH | PRICE |
| HW-4041 | Outside | Galvalume | .16# | ✓ |

Horizontal Slide Window - Non Insulated




Note:

- Specify wall pane profile
- All Windows will be supplied with "PBR" fins - Additional fins will be supplied when "PBU" (U)windows are ordered - All fins are to be installed
- No flashing required

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|------|----------------------------|----------|-------------|-----------------|
| PART # | SIZE | TYPE | COLOR | WEIGHT EACH | PRICE |
| HW-802R | 3030 | Horiz. Slide w/Half Screen | Aluminum | 27.00# | ✓ |
| HW-802U | 3030 | Horiz. Slide w/Half Screen | Aluminum | 27.00# | ✓ |
| HW-804R | 4030 | Horiz. Slide w/Half Screen | Aluminum | 28.00# | ✓ |
| HW-808R | 6030 | Horiz. Slide w/Half Screen | Aluminum | 50.00# | ✓ |
| HW-810R | 6040 | Horiz. Slide w/Half Screen | Aluminum | 58.00# | ✓ |

Single Hung Window - Non Insulated




Note:

- PBR profile only
- All Windows will be supplied with "PBR" fins.

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|------|---------------------------|----------|-------------|-----------------|
| PART # | SIZE | TYPE | COLOR | WEIGHT EACH | PRICE |
| HW-820R | 3030 | Single Hung w/Half Screen | Aluminum | 27.00# | ✓ |
| HW-822R | 3040 | Single Hung w/Half Screen | Aluminum | 30.00# | ✓ |
| HW-824R | 3050 | Single Hung w/Half Screen | Aluminum | 45.00# | ✓ |

Walk Doors



| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|------|---------------|-------|-------------|-----------------|
| PART # | SIZE | TYPE | COLOR | WEIGHT EACH | PRICE |
| HW-9200 | 3070 | M | White | 162.00# | ✓ |
| HW-9201 | 3070 | NL | White | 162.00# | ✓ |
| HW-9202 | 3070 | M (Insulated) | White | 162.00# | ✓ |
| HW-9203 | 3070 | G (No Glass) | White | 162.00# | ✓ |
| HW-9204 | 4070 | M | White | 218# | ✓ |
| HW-9205 | 4070 | NL | White | 218# | ✓ |
| HW-9206 | 6070 | M | White | 280# | ✓ |
| HW-9207 | 6070 | NL | White | 280# | ✓ |


Note:

- All walk doors are sold as knocked-down kits
- 3070 and 4070 kit prices include leaf, frame with integral weather stripping, hinges and threshold.
- 6070 kit price includes leaf, frame with integral weather stripping, hinges, astragal, cover plate for inactive leaf, head bolt, foot bolt and universal threshold.
- Kits do not include glass or locksets.
- Door leaf hinge and lockset mortises are universally cut to accommodate any handing option.
- ADA regulations require lever handle locksets for public access buildings.
- When installing lever handle locksets, two 5/16" diameter holes must be field drilled.

Walk Door Accessories

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|----------|-------------|-------|-----------------|
| PART # | DESCRIPTION | COLOR | WEIGHT EACH | PRICE | |
| HW-950 | 1/2" X 2 3/4 Long Wedge Anchor | | 0.50# | ✓ | |
| HW-954 | 6070 Removable Mullion | Bronze | 25.00# | ✓ | |
| HW-955 | Standard Duty Knob Lock | | 2.00# | ✓ | |
| HW-9558 | Standard Duty Knob Lock - Keyed Alike | | 2.00# | ✓ | |
| HW-9558 | Heavy Duty Knob Lock | | 3.00# | ✓ | |
| NOTE: Does not meet ADA requirements. | | | | | |
| HW-964 | Standard Duty Lever Handle Lock | | 3.00# | ✓ | |
| HW-9653 | Standard Duty Lever Handle Lock - Keyed Alike | | 3.00# | ✓ | |
| HW-957 | 3070 Universal Threshold | | 2.00# | ✓ | |
| HW-958 | 4070 Universal Threshold | | 2.50# | ✓ | |
| HW-960 | 6070 Top and Bottom Bolts | | 2.00# | ✓ | |
| HW-961 | Door Closer | Aluminum | 2.00# | ✓ | |
| HW-962 | 4 1/2" x 4 1/2" Hinges (Box of 3) | | 5.00# | ✓ | |
| HW-963 | Anti-Panic Hardware - Surface Mount w/Knob Lockset | | 9.67# | ✓ | |
| NOTE: Does not meet ADA requirements. Two week lead time required. | | | | | |
| HW-984 | Anti-Panic Hardware - Surface Mount w/Handle Lockset | | 9.95# | ✓ | |
| NOTE: When installing lever handle locksets (HW-964 or HW-9653), two 5/16" diameter holes must be field drilled. | | | | | |

Tape Sealer



| DESCRIPTION | | | | | | | PRICED PER ROLL |
|-------------|-------|-------|-----------|--------|-------------|-------|-----------------|
| PART # | TYPE | WIDTH | THICKNESS | LENGTH | ROLL WEIGHT | PRICE | |
| HW-505 | Butyl | 3/8" | 3/32" | 45'-0" | 1.20# | ✓ | |
| HW-506 | Butyl | 1" | 3/32" | 45'-0" | 2.85# | ✓ | |
| HW-507 | Butyl | 1/2" | 3/32" | 50'-0" | 1.60# | ✓ | |

Tape Sealer - Triple Bead



Note:
• Sold in full carton quantities.

| DESCRIPTION | | | | | | | PRICED PER ROLL |
|-------------|-------|--------|-----------|--------|------------|---------------|-----------------|
| PART # | TYPE | WIDTH | THICKNESS | LENGTH | CARTON QTY | CARTON WEIGHT | PRICE |
| HW-502 | Butyl | 2 1/2" | 3/16" | 20'-0" | 6 | 23.00# | ✓ |


Tape Sealer - Tri-Bead



Note:
• Sold in full carton quantities.

| DESCRIPTION | | | | | | | PRICED PER ROLL |
|-------------|-------|-------|-----------|--------|------------|---------------|-----------------|
| PART # | TYPE | WIDTH | THICKNESS | LENGTH | CARTON QTY | CARTON WEIGHT | PRICE |
| HW-504 | Butyl | 7/8" | 3/16" | 25'-0" | 8 | 20.00# | ✓ |

Tube Sealant



Note:

- 25' per tube at ¼" bead.

| DESCRIPTION | | | | | PRICED PER TUBE |
|-------------|--------------------|--------|-----------|-------------|-----------------|
| PART # | TYPE | COLOR | TUBE SIZE | TUBE WEIGHT | PRICE |
| HW-548 | Acrylic | White | 11 ounce | .75# | ✓ |
| HW-550 | Acrylic | Gray | 11 ounce | .75# | ✓ |
| HW-540 | Urethane | White | 11 ounce | .85# | ✓ |
| HW-541 | Urethane | Gray | 11 ounce | .85# | ✓ |
| HW-542 | Urethane | Bronze | 11 ounce | .85# | ✓ |
| HW-544 | Urethane | Almond | 11 ounce | .85# | ✓ |
| HW-549 | Non-Skinning Butyl | White | 10 ounce | 1.00# | ✓ |

Touch Up Paint




Note:

- Primer available in spray or brush-on mixture - Please specify
- Touch-up paint available in brush-only

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|----------------|----------|-----------------|-------------|-----------------|
| PART # | FINISH | SIZE | COLOR | WEIGHT EACH | PRICE |
| HW-304 | Signature® 200 | 2 ounce | See Color Chart | .50# | ✓ |
| HW-305 | Signature® 300 | 2 ounce | See Color Chart | .50# | ✓ |
| HW-310S | Spray Primer | 1 gallon | Red Oxide | 10.00# | ✓ |
| HW-310B | Brush Primer | 1 gallon | Red Oxide | 11.00# | ✓ |
| HW-320S | Spray Primer | 5 gallon | Red Oxide | 50.00# | ✓ |
| HW-320B | Brush Primer | 5 gallon | Red Oxide | 50.00# | ✓ |

Blanket Insulation



Note:

- R-10 Fiberglass Blanket Insulation – 3" thick
- Faced one side with a white polypropylene scrim reinforced vapor retarder


| DESCRIPTION | | | | | PRICED PER ROLL |
|-------------|------|-------|---------|-------------|-----------------|
| PART # | TYPE | WIDTH | LENGTH | ROLL WEIGHT | PRICE |
| HW-3927 | VRR+ | 6'-0" | 104'-0" | 116.69# | ✓ |

Vinyl Patch Tape




| DESCRIPTION | | | | PRICED PER ROLL |
|-------------|-------|---------|-------------|-----------------|
| PART # | WIDTH | LENGTH | ROLL WEIGHT | PRICE |
| HW-5211 | 3" | 150'-0" | 1.98# | ✓ |

Double Faced Tape



| DESCRIPTION | | | | PRICED PER ROLL |
|-------------|-------|---------|-------------|-----------------|
| PART # | WIDTH | LENGTH | ROLL WEIGHT | PRICE |
| HW-522 | 1½" | 180'-0" | 1.00# | ✓ |

Reflective Insulation




Note:

- R-8 RFSK with VersiTab ¼" fiberglass with a silver (aluminum) scrim reinforced vapor retarder on one side and a foil film on the other side
- VersiTab has a 2" tab on one side and a 4" tab on the other side of the roll to allow the insulation side laps to be folded and stapled or overlapped

| DESCRIPTION | | | | | PRICED PER ROLL | |
|-------------|------------|-------|---------|-----------------|-----------------|--|
| PART # | TYPE | WIDTH | LENGTH | WEIGHT PER ROLL | PRICE | |
| HW-3925 | SolarGuard | 4'-0" | 125'-0" | 31.00# | ✓ | |
| HW-3926 | SolarGuard | 6'-0" | 125'-0" | 46.50# | ✓ | |

Scrimless Aluminum Tape



| DESCRIPTION | | | | PRICED PER ROLL | |
|-------------|-------|---------|-----------------|-----------------|--|
| PART # | WIDTH | LENGTH | WEIGHT PER ROLL | PRICE | |
| HW-514 | 3" | 150'-0" | 1.50# | ✓ | |

Strand



Note:

- Extra High Strength

| DESCRIPTION | | | | | | PRICED PER BELOW |
|-------------|------|---------------------------|---------|-----------|------------------|------------------|
| PART # | SIZE | MINIMUM BREAKING STRENGTH | LENGTH | PRICED BY | WEIGHT | PRICE |
| HW-373 | ¼" | 6,650 lbs. | Specify | 100 LF | .12# per LF | ✓ |
| HW-374 | ⅝" | 11,200 lbs. | Specify | 100 LF | .21# per LF | ✓ |
| HW-375 | ⅜" | 15,400 lbs. | Specify | 100 LF | .27# per LF | ✓ |
| HW-3739 | ½" | 26,900 lbs | 250'-0" | ROLL | 106.00# per ROLL | ✓ |

Flo-Loc Grip



Note:
• Extra High Strength

| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|------|---------------------------|--------|-------------|-----------------|
| PART # | SIZE | MINIMUM BREAKING STRENGTH | LENGTH | WEIGHT EACH | PRICE |
| HW-376 | ¼" | 6,650 lbs. | 19" | .34# | ✓ |
| HW-377 | ⅜" | 11,200 lbs. | 21" | .70# | ✓ |
| HW-378 | ⅝" | 15,400 lbs. | 26" | 1.04# | ✓ |
| HW-383 | ½" | 26,900 lbs. | 34" | 2.56# | ✓ |


Eye Bolt with Flat Washer and Nut



Note:
• Each Eyebolt is supplied with one Flat Washer and one Nut


| DESCRIPTION | | | | | | | PRICED PER EACH |
|-------------|------|--------------|--------------|---------------|----------------|-------------|-----------------|
| PART # | SIZE | EYE DIAMETER | SHANK LENGTH | THREAD LENGTH | YIELD STRENGTH | WEIGHT EACH | PRICE |
| HW-352 | ½" | 1" | 8" | 6" | 36,000 lbs. | .60# | ✓ |
| HW-353 | ⅝" | 1 ¼" | 8" | 6" | 55,000 lbs. | 1.15# | ✓ |
| HW-354 | ¾" | 1 ½" | 8" | 6" | 55,000 lbs. | 1.83# | ✓ |
| HW-381 | 7/8" | 1 ½" | 8" | 6" | 60,000 lbs. | 2.64# | ✓ |

Hillside and Flat Washers




| DESCRIPTION | | | | | PRICED PER 100 PIECES |
|-------------|----------|------|--------|-------------|-----------------------|
| PART # | TYPE | SIZE | FINISH | WEIGHT EACH | PRICE |
| HW-390 | Flat | ½" | Plated | .04# | ✓ |
| HW-391 | Flat | ⅝" | Plated | .08# | ✓ |
| HW-392 | Flat | ¾" | Plated | .11# | ✓ |
| HW-382 | Flat | 7/8" | Plated | .15# | ✓ |
| HW-393 | Flat | 1" | Plated | .19# | ✓ |
| HW-394 | Hillside | ½" | Black | .34# | ✓ |
| HW-395 | Hillside | ⅝" | Black | .50# | ✓ |
| HW-396 | Hillside | ¾" | Black | .61# | ✓ |
| HW-397 | Hillside | 7/8" | Black | .89# | ✓ |
| HW-398 | Hillside | 1" | Black | 1.28# | ✓ |

Bolts with Nuts




| DESCRIPTION | | | | | |
|-------------|---------------|------------|-----------|--------|-------------|
| PART # | SIZE | BOLT GRADE | NUT GRADE | FINISH | WEIGHT EACH |
| HWF-363 | 1/2" x 1 1/4" | A325 | A563 | Plated | .18# |
| HWF-3544 | 5/8" x 1 1/4" | A325 | A563 | Plated | .31# |
| HWF-3545 | 5/8" x 1 3/4" | A325 | A563 | Plated | .35# |
| HWF-3547 | 5/8" x 2 1/4" | A325 | A563 | Plated | .39# |
| HWF-359 | 3/4" x 1 3/4" | A325 | A563 | Plated | .55# |
| HWF-360 | 3/4" x 2 1/4" | A325 | A563 | Plated | .62# |
| HWF-361 | 3/4" x 2 3/4" | A325 | A563 | Plated | .68# |

Fin Head with Nut



| DESCRIPTION | | | | | | PRICED PER 100 PIECES |
|-------------|-----------|------------|-----------|--------|-------------|-----------------------|
| PART # | SIZE | BOLT GRADE | NUT GRADE | FINISH | WEIGHT EACH | PRICE |
| HW-362 | 1/2" x 1" | A307 | A307 | Plated | .10# | ✓ |

Purlin Clip - 6" x 7"



| DESCRIPTION | | | | PRICED PER EACH |
|-------------|-----------------|--------|-------------|-----------------|
| PART # | SIZE | FINISH | WEIGHT EACH | PRICE |
| HW-6900 | 6" x 7" x 3/16" | Black | 2.25# | ✓ |

Sliding Door - Track



| DESCRIPTION | | | | | PRICED PER EACH |
|-------------|--------|-------|------------|-------------|-----------------|
| PART # | LENGTH | GAUGE | FINISH | WEIGHT EACH | PRICE |
| HW-966 | 12'-0" | 16 | Galvanized | 21.00# | ✓ |
| HW-968 | 20'-0" | 16 | Galvanized | 35.00# | ✓ |

Sliding Door - Rail Hanger and Bracket



| DESCRIPTION | | | PRICED PER EACH |
|-------------|------------|-------------|-----------------|
| PART # | FINISH | WEIGHT EACH | PRICE |
| HW-971 | Galvanized | 3.00# | ✓ |

Sliding Door - Hanger Angle



| DESCRIPTION | | | PRICED PER EACH |
|-------------|------------|-------------|-----------------|
| PART # | FINISH | WEIGHT EACH | PRICE |
| HW-975 | Galvanized | 1.00# | ✓ |

Sliding Door - Steel Door Pull




| DESCRIPTION | | | PRICED PER EACH |
|-------------|------------|-------------|-----------------|
| PART # | FINISH | WEIGHT EACH | PRICE |
| HW-973 | Galvanized | .90# | ✓ |

Sliding Door - Trolley



| DESCRIPTION | | | | PRICED PER EACH |
|-------------|----------------|------------|-------------|-----------------|
| PART # | WHEEL DIAMETER | FINISH | WEIGHT EACH | PRICE |
| HW-969 | 2" | Galvanized | 1.00# | ✓ |

Sliding Door - Cam Lock Jamb Latch



| DESCRIPTION | | | PRICED PER EACH |
|-------------|------------|-------------|-----------------|
| PART # | FINISH | WEIGHT EACH | PRICE |
| HW-972 | Galvanized | 2.00# | ✓ |

Sliding Door - Splice Bracket



| DESCRIPTION | | | PRICED PER EACH |
|-------------|------------|-------------|-----------------|
| PART # | FINISH | WEIGHT EACH | PRICE |
| HW-970 | Galvanized | 1.00# | ✓ |

Flat Sheet Selection Chart


| DESCRIPTION | | | |
|----------------------------------|-----------|---------------|---------------|
| Width | 40 - 7/8" | 42 - 3/4" | 48 - 3/8" |
| Gauge | 29 GA | 26 GA | 24 GA |
| Weight per LF | 2.00# | 3.32# | 3.75# |
| Signature 200 (Polyester) | | | |
| Polar White | • | • | |
| Signature 200 | | | |
| True Black | • | • | |
| Cobalt Blue | • | • | |
| Hawaiian Blue | • | • | |
| Burnished Slate | • | • | |
| Desert Sand | • | • | |
| Coffee Brown | • | • | |
| Light Stone | • | • | |
| Saddle Tan | • | • | |
| Ash Gray | • | • | |
| Charcoal Gray | • | • | |
| Deep Gray | • | • | |
| Evergreen | • | • | |
| Ivy Green | • | • | |
| Wine Red | • | • | |
| Scarlet Red | • | • | |
| Rustic Red | • | • | |
| High Gloss White | • | • | |
| Bright White | • | • | |
| White | • | • | |
| Signature 300 | | | |
| Midnight Black | | | • |
| Harbor Blue | | | • |
| Pacific Blue | | | • |
| Almond | | | • |
| Brownstone | | | • |
| Medium Bronze | | | • |
| Midnight Bronze | | | • |
| Storm Gray | | | • |
| Slate Gray | | | • |
| Tundra | | | • |
| Classic Green | | | • |
| Signature 300 Metallic | | | |
| Copper Metallic | | | • |
| Unpainted | | | |
| Galvanized | • | | |
| Galvalume® Plus | | 22, 24, 26 GA | 22, 24, 26 GA |

Add \$42.00 for flat sheet wood skid (maximum 3000# per skid). Add \$60.00 for LTL crating (maximum 3000# per skid). Panels ship with strippable film. Advise your Customer Service Representative if strippable film is not needed. Flat sheet lengths over 10'-6" are available upon request and require special skid pricing, please inquire. Flat sheet lengths: minimum 5'-0", maximum 14'-0". All material is Grade D (50 ksi minimum).






Outside Corner Trim - PBR / PBA Panels




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-830 | 10'-2" | 12 5/8" | 8.32# | ✓ | ✓ | ✓ |
| FL-831 | 12'-0" | 12 5/8" | 9.83# | ✓ | ✓ | ✓ |
| FL-832 | 14'-0" | 12 5/8" | 11.46# | ✓ | ✓ | ✓ |
| FL-833 | 16'-0" | 12 5/8" | 13.10# | ✓ | ✓ | ✓ |
| FL-834 | 18'-0" | 12 5/8" | 14.74# | ✓ | ✓ | ✓ |
| FL-835 | 20'-2" | 12 5/8" | 16.51# | ✓ | ✓ | ✓ |

Outside Corner Trim - PBU Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-840 | 10'-2" | 11 3/8" | 7.50# | ✓ | ✓ | ✓ |
| FL-841 | 12'-0" | 11 3/8" | 8.85# | ✓ | ✓ | ✓ |
| FL-842 | 14'-0" | 11 3/8" | 10.33# | ✓ | ✓ | ✓ |
| FL-843 | 16'-0" | 11 3/8" | 11.80# | ✓ | ✓ | ✓ |
| FL-844 | 18'-0" | 11 3/8" | 13.28# | ✓ | ✓ | ✓ |
| FL-845 | 20'-2" | 11 3/8" | 14.88# | ✓ | ✓ | ✓ |

Outside Corner Trim - Retro-R Panel®




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-876 | 10'-2" | 17 3/4" | 11.70# | ✓ | ✓ | ✓ |
| FL-877 | 20'-2" | 17 3/4" | 23.22# | ✓ | ✓ | ✓ |

Outside Corner Trim - 7.2 Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-500 | 10'-2" | 14 1/4" | 9.40# | ✓ | ✓ | ✓ |
| FL-500A | 12'-0" | 14 1/4" | 11.09# | ✓ | ✓ | ✓ |
| FL-500B | 14'-0" | 14 1/4" | 12.94# | ✓ | ✓ | ✓ |

Inside Corner Trim - PBR Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-800 | 10'-2" | 15" | 9.89# | ✓ | ✓ | ✓ |
| FL-801 | 12'-0" | 15" | 11.67# | ✓ | ✓ | ✓ |
| FL-802 | 14'-0" | 15" | 13.62# | ✓ | ✓ | ✓ |
| FL-803 | 16'-0" | 15" | 15.57# | ✓ | ✓ | ✓ |
| FL-804 | 18'-0" | 15" | 17.51# | ✓ | ✓ | ✓ |
| FL-805 | 20'-2" | 15" | 19.62# | ✓ | ✓ | ✓ |

Inside Corner Trim - PBU Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-810 | 10'-2" | 10 5/8" | 7.01# | ✓ | ✓ | ✓ |
| FL-811 | 12'-0" | 10 5/8" | 8.27# | ✓ | ✓ | ✓ |
| FL-812 | 14'-0" | 10 5/8" | 9.65# | ✓ | ✓ | ✓ |
| FL-813 | 16'-0" | 10 5/8" | 11.03# | ✓ | ✓ | ✓ |
| FL-814 | 18'-0" | 10 5/8" | 12.40# | ✓ | ✓ | ✓ |
| FL-815 | 20'-2" | 10 5/8" | 13.90# | ✓ | ✓ | ✓ |

Inside Corner Trim - Retro-R Panel®




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-878 | 10'-2" | 15 1/2" | 10.22# | ✓ | ✓ | ✓ |
| FL-879 | 20'-2" | 15 1/2" | 20.27# | ✓ | ✓ | ✓ |

Inside Corner Trim - 7.2 Panel



| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-520 | 10'-2" | 14 1/2" | 9.56# | ✓ | ✓ | ✓ |


BT-20 Base Trim



- Note:**
- 20 gauge material
 - Available in Burnished Slate only

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|--------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-73 | 20'-0" | 7 7/8" | 22.00# | N/A | ✓ | N/A |


Base Angle Corner



- Note:**
- Vinyl Material
 - Burnished Slate only
 - Inquire for lead time

| DESCRIPTION | | PRICED PER EACH | | |
|-------------|-------------|-----------------|----------------|----------------|
| PART # | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| HW-1112 | .21# | N/A | ✓ | N/A |


Base Trim



- Note:**
- Use with sheeting notch in concrete

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|--------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-72 | 10'-2" | 6 1/8" | 4.04# | ✓ | ✓ | ✓ |


Base Trim without Sheeting



- Note:**
- Use without sheeting notch in concrete

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|--------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-530 | 10'-2" | 6 3/4" | 4.45# | ✓ | ✓ | ✓ |

PBR Sculptured Eave Gutter




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | | PRICED PER EACH | | |
|-------------|---------|--------|-------|------------|-------------|-----------------|----------------|----------------|
| PART # | DIM "A" | LENGTH | GIRTH | ROOF SLOPE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-18 | 6½" | 10'-2" | 23" | ½-4:12 | 15.17# | ✓ | ✓ | ✓ |
| FL-18B | 6½" | 20'-2" | 23" | ½-4:12 | 35.40# | ✓ | ✓ | ✓ |
| FL-18H | 7" | 10'-2" | 23½" | 4⅛-6:12 | 17.88# | ✓ | ✓ | ✓ |
| FL-18J | 7" | 20'-2" | 23½" | 4⅛-6:12 | 35.47# | ✓ | ✓ | ✓ |

PBR Sculptured Hang-On Gutter




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | | PRICED PER EACH | | |
|-------------|---------|--------|-------|------------|-------------|-----------------|----------------|----------------|
| PART # | DIM "A" | LENGTH | GIRTH | ROOF SLOPE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-18C | 6½" | 10'-2" | 20¼" | ½-4:12 | 14.50# | ✓ | ✓ | ✓ |
| FL-18D | 6½" | 20'-2" | 20¼" | ½-4:12 | 29.00# | ✓ | ✓ | ✓ |
| FL-18F | 7" | 10'-2" | 20¾" | 4⅛-6:12 | 15.41# | ✓ | ✓ | ✓ |
| FL-18G | 7" | 20'-2" | 20¾" | 4⅛-6:12 | 30.56# | ✓ | ✓ | ✓ |

PBU Sculptured Eave Gutter




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | | PRICED PER EACH | | |
|-------------|---------|--------|-------|------------|-------------|-----------------|----------------|----------------|
| PART # | DIM "A" | LENGTH | GIRTH | ROOF SLOPE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-512 | 7" | 10'-2" | 23½" | ½-4:12 | 15.49# | ✓ | ✓ | ✓ |
| FL-512A | 7" | 20'-2" | 23½" | ½-4:12 | 35.40# | ✓ | ✓ | ✓ |
| FL-512E | 7½" | 10'-2" | 24" | 4⅛-6:12 | 18.26# | ✓ | ✓ | ✓ |
| FL-512F | 7½" | 20'-2" | 24" | 4⅛-6:12 | 36.23# | ✓ | ✓ | ✓ |

PBU Sculptured Hang-On Gutter




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | | PRICED PER EACH | | |
|-------------|---------|--------|----------------------------------|------------|-------------|-----------------|----------------|----------------|
| PART # | DIM "A" | LENGTH | GIRTH | ROOF SLOPE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-512B | 7" | 10'-2" | 20 ³ / ₄ " | ½-4:12 | 13.68# | ✓ | ✓ | ✓ |
| FL-512C | 7" | 20'-2" | 20 ³ / ₄ " | ½-4:12 | 29.50# | ✓ | ✓ | ✓ |
| FL-512G | 7½" | 10'-2" | 21 ¼" | 4½-6:12 | 15.77# | ✓ | ✓ | ✓ |
| FL-512H | 7½" | 20'-2" | 21 ¼" | 4½-6:12 | 31.31# | ✓ | ✓ | ✓ |

Sculptured Eave Gutter - 7.2 Panel




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | | PRICED PER EACH | | |
|-------------|---------|--------|-------|------------|-------------|-----------------|----------------|----------------|
| PART # | DIM "A" | LENGTH | GIRTH | ROOF SLOPE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-517 | 6¼" | 10'-2" | 23¼" | ½-4:12 | 15.33# | ✓ | ✓ | ✓ |
| FL-517A | 6¼" | 20'-2" | 23¼" | ½-4:12 | 30.41# | ✓ | ✓ | ✓ |
| FL-517E | 6⅝" | 10'-2" | 23⅝" | 4½-6:12 | 15.58# | ✓ | ✓ | ✓ |
| FL-517F | 6⅝" | 20'-2" | 23⅝" | 4½-6:12 | 30.90# | ✓ | ✓ | ✓ |

Sculptured Hang-On Gutter - 7.2 Panel




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | | PRICED PER EACH | | |
|-------------|---------|--------|-------|------------|-------------|-----------------|----------------|----------------|
| PART # | DIM "A" | LENGTH | GIRTH | ROOF SLOPE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-517B | 6¼" | 10'-2" | 20" | ½-4:12 | 13.19# | ✓ | ✓ | ✓ |
| FL-517C | 6¼" | 20'-2" | 20" | ½-4:12 | 26.16# | ✓ | ✓ | ✓ |
| FL-517G | 6⅝" | 10'-2" | 20⅝" | 4½-6:12 | 13.43# | ✓ | ✓ | ✓ |
| FL-517H | 6⅝" | 20'-2" | 20⅝" | 4½-6:12 | 26.65# | ✓ | ✓ | ✓ |

Gutter Ends




Note:

- Use with all Sculptured Gutters
- End Caps will be made to fit gutter ordered
- Specify left or right
- Specify gutter part number
- Specify roof slope

| DESCRIPTION | | PRICED PER EACH | | |
|-------------|-------------|-----------------|----------------|----------------|
| PART # | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-18A | .32# | ✓ | ✓ | ✓ |

Box Hang-On Gutter




Note:

- Specify roof slope - Snow Gutter available, please inquire

| DESCRIPTION | | | | | | | PRICED PER EACH | | |
|---------------------------------|---------|---------|--------|-------|------------|-------------|-----------------|----------------|----------------|
| PART # | DIM "A" | DIM "B" | LENGTH | GIRTH | ROOF SLOPE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-74 | 4½" | 4¼" | 10'-2" | 17" | ½-4:12 | 11.21# | ✓ | ✓ | ✓ |
| FL-74A | 4½" | 4¼" | 20'-2" | 17" | ½-4:12 | 22.23# | ✓ | ✓ | ✓ |
| FL-74L | 4¾" | 4¼" | 10'-2" | 17¼" | 4¼-6:12 | 11.37# | ✓ | ✓ | ✓ |
| FL-74F | 4¾" | 4¼" | 20'-2" | 17¼" | 4¼-6:12 | 22.56# | ✓ | ✓ | ✓ |
| NOTE: Use with PBU Panel | | | | | | | | | |
| FL-74B | 4¼" | 4½" | 10'-2" | 17" | ½-4:12 | 11.21# | ✓ | ✓ | ✓ |
| FL-74C | 4¼" | 4½" | 20'-2" | 17" | ½-4:12 | 22.23# | ✓ | ✓ | ✓ |
| FL-74G | 4⅝" | 4½" | 10'-2" | 17⅜" | 4¼-6:12 | 11.46# | ✓ | ✓ | ✓ |
| FL-74H | 4⅝" | 4½" | 20'-2" | 17⅜" | 4¼-6:12 | 22.72# | ✓ | ✓ | ✓ |
| NOTE: Use with PBR Panel | | | | | | | | | |
| FL-74D | 4" | 4½" | 10'-2" | 16 ¾" | ½-4:12 | 11.04# | ✓ | ✓ | ✓ |
| FL-74E | 4" | 4½" | 20'-2" | 16 ¾" | ½-4:12 | 21.91# | ✓ | ✓ | ✓ |
| FL-74J | 4¼" | 4½" | 10'-2" | 17" | 4¼-6:12 | 11.21# | ✓ | ✓ | ✓ |
| FL-74K | 4¼" | 4½" | 20'-2" | 17" | 4¼-6:12 | 22.23# | ✓ | ✓ | ✓ |
| NOTE: Use with 7.2 Panel | | | | | | | | | |

Box Eave Gutter




Note:

- Specify roof slope - Snow Gutter available, please inquire

| DESCRIPTION | | | | | | | PRICED PER EACH | | |
|---------------------------------|---------|---------|--------|---------|------------|-------------|-----------------|----------------|----------------|
| PART # | DIM "A" | DIM "B" | LENGTH | GIRTH | ROOF SLOPE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-14 | 4 1/2" | 4 1/4" | 10'-2" | 20 1/4" | 1/2-4:12 | 13.35# | ✓ | ✓ | ✓ |
| FL-14B | 4 1/2" | 4 1/4" | 20'-2" | 20 1/4" | 1/2-4:12 | 26.48# | ✓ | ✓ | ✓ |
| FL-14F | 4 3/4" | 4 1/4" | 10'-2" | 20 1/2" | 4 1/6-6:12 | 13.52# | ✓ | ✓ | ✓ |
| FL-14G | 4 3/4" | 4 1/4" | 20'-2" | 20 1/2" | 4 1/6-6:12 | 26.81# | ✓ | ✓ | ✓ |
| NOTE: Use with PBU Panel | | | | | | | | | |
| FL-14C | 4 1/4" | 4 1/2" | 10'-2" | 20 1/4" | 1/2-4:12 | 13.35# | ✓ | ✓ | ✓ |
| FL-14D | 4 1/4" | 4 1/2" | 20'-2" | 20 1/4" | 1/2-4:12 | 26.48# | ✓ | ✓ | ✓ |
| FL-14H | 4 5/8" | 4 1/2" | 10'-2" | 20 5/8" | 4 1/6-6:12 | 13.60# | ✓ | ✓ | ✓ |
| FL-14J | 4 5/8" | 4 1/2" | 20'-2" | 20 5/8" | 4 1/6-6:12 | 26.98# | ✓ | ✓ | ✓ |
| NOTE: Use with PBR Panel | | | | | | | | | |
| FL-505 | 4" | 4 1/2" | 10'-2" | 20" | 1/2-4:12 | 13.19# | ✓ | ✓ | ✓ |
| FL-505A | 4" | 4 1/2" | 20'-2" | 20" | 1/2-4:12 | 26.16# | ✓ | ✓ | ✓ |
| FL-505C | 4 1/4" | 4 1/2" | 10'-2" | 20 1/4" | 4 1/6-6:12 | 13.35# | ✓ | ✓ | ✓ |
| FL-505D | 4 1/4" | 4 1/2" | 20'-2" | 20 1/4" | 4 1/6-6:12 | 26.48# | ✓ | ✓ | ✓ |


NOTE: Use with 7.2 Panel

Residential Gutter



| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|----------|-------|-------------|-----------------|----------------|----------------|
| PART # | GIRTH | GAUGE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-1000 | 12 9/16" | 29 | 6.41# | ✓ | ✓ | N/A |
| FL-1000 | 12 9/16" | 26 | 8.28# | ✓ | ✓ | ✓ |
| FL-1000 | 12 9/16" | 24 | 10.39# | ✓ | ✓ | ✓ |

Gutter Ends




Note:

- Use FL-14A with all Box Gutters
- Use FL-1001 with FL-1000 Residential Gutter
- End Caps will be made to fit gutter ordered
- Specify left or right
- Specify gutter part number
- Specify roof slope


| DESCRIPTION | | | PRICED PER EACH | | |
|-------------|-------|-------------|-----------------|----------------|----------------|
| PART # | GAUGE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-14A | 26 | .26# | ✓ | ✓ | ✓ |
| FL-1001 | 29 | .07# | ✓ | ✓ | N/A |
| FL-1001 | 26 | .09# | ✓ | ✓ | ✓ |
| FL-1001 | 24 | .12# | ✓ | ✓ | ✓ |

Gutter Strap




| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-893 | 1'-0" | 3" | 26 | .23# | N/A | ✓ | N/A |
| FL-893 | 1'-0" | 3" | 24 | .23# | ✓ | ✓ | ✓ |

PBU Residential Rake




| DESCRIPTION | | | | | | PRICED PER EACH | | |
|-------------|-----------|------------|----------|-------|-------------|-----------------|----------------|----------------|
| PART # | DIM "A" | ROOF SLOPE | GIRTH | GAUGE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-1002 | 3 3/16" | 3-4:12 | 8 11/16" | 29 | 4.43# | ✓ | ✓ | N/A |
| FL-1002 | 3 3/16" | 3-4:12 | 8 11/16" | 26 | 5.73# | ✓ | ✓ | ✓ |
| FL-1003 | 3 1/16" | 5-6:12 | 8 9/16" | 29 | 4.37# | ✓ | ✓ | N/A |
| FL-1003 | 3 1/16" | 5-6:12 | 8 9/16" | 26 | 5.65# | ✓ | ✓ | ✓ |
| FL-1004 | 2 15/16" | 7:12 | 8 7/16" | 29 | 4.30# | ✓ | ✓ | N/A |
| FL-1004 | 2 15/16" | 7:12 | 8 7/16" | 26 | 5.56# | ✓ | ✓ | ✓ |
| FL-1005 | 2 13/16" | 8-9:12 | 8 5/16" | 29 | 4.24# | ✓ | ✓ | N/A |
| FL-1005 | 2 13/16" | 8-9:12 | 8 5/16" | 26 | 5.48# | ✓ | ✓ | ✓ |
| FL-1006 | 2 1 1/16" | 10:12 | 8 3/16" | 29 | 4.18# | ✓ | ✓ | N/A |
| FL-1006 | 2 1 1/16" | 10:12 | 8 3/16" | 26 | 5.40# | ✓ | ✓ | ✓ |

PBR Residential Rake



| DESCRIPTION | | | | | | PRICED PER EACH | | |
|-------------|---------|------------|-----------|-------|-------------|-----------------|----------------|----------------|
| PART # | DIM "A" | ROOF SLOPE | GIRTH | GAUGE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-1010 | 3 1/16" | 3-4:12 | 10 13/16" | 29 | 5.51# | ✓ | ✓ | N/A |
| FL-1010 | 3 1/16" | 3-4:12 | 10 13/16" | 26 | 7.13# | ✓ | ✓ | ✓ |
| FL-1011 | 3 9/16" | 5-6:12 | 10 11/16" | 29 | 5.45# | ✓ | ✓ | N/A |
| FL-1011 | 3 9/16" | 5-6:12 | 10 11/16" | 26 | 7.05# | ✓ | ✓ | ✓ |
| FL-1012 | 3 7/16" | 7:12 | 10 9/16" | 29 | 5.39# | ✓ | ✓ | N/A |
| FL-1012 | 3 7/16" | 7:12 | 10 9/16" | 26 | 6.96# | ✓ | ✓ | ✓ |
| FL-1013 | 3 5/16" | 8-9:12 | 10 7/16" | 29 | 5.32# | ✓ | ✓ | N/A |
| FL-1013 | 3 5/16" | 8-9:12 | 10 7/16" | 26 | 6.88# | ✓ | ✓ | ✓ |

Sculptured Rake - PBR Panel




Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | DESCRIPTION | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-16 | Rake Trim | 10'-2" | 20 1/4" | 14.50# | ✓ | ✓ | ✓ |
| FL-16D | Rake Trim | 20'-2" | 20 1/4" | 29.00# | ✓ | ✓ | ✓ |
| FL-16A | Rake Ends | N/A | N/A | .19# | ✓ | ✓ | ✓ |
| FL-16B | Peak Box | N/A | N/A | 2.67# | ✓ | ✓ | ✓ |

Sculptured Rake - PBU Panel




Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | DESCRIPTION | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-15 | Rake Trim | 10'-2" | 20¼" | 14.50# | ✓ | ✓ | ✓ |
| FL-15D | Rake Trim | 20'-2" | 20¼" | 29.00# | ✓ | ✓ | ✓ |
| FL-15A | Rake Ends | N/A | N/A | .19# | ✓ | ✓ | ✓ |
| FL-15C | Peak Box | N/A | N/A | 2.67# | ✓ | ✓ | ✓ |

Sculptured Rake - 7.2 Panel




Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | DESCRIPTION | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-510 | Rake Trim | 10'-2" | 20¼" | 13.35# | ✓ | ✓ | ✓ |
| FL-510A | Rake Trim | 20'-2" | 20¼" | 26.48# | ✓ | ✓ | ✓ |
| FL-510B | Rake Ends | N/A | N/A | .19# | ✓ | ✓ | ✓ |
| FL-510C | Peak Box | N/A | N/A | 2.61# | ✓ | ✓ | ✓ |

Box Rake - PBR Panel




Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | DESCRIPTION | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-13 | Rake Trim | 10'-2" | 20¼" | 13.35# | ✓ | ✓ | ✓ |
| FL-13D | Rake Trim | 20'-2" | 20¼" | 26.48# | ✓ | ✓ | ✓ |
| FL-13A | Rake Ends | N/A | N/A | .13# | ✓ | ✓ | ✓ |
| FL-13C | Peak Box | N/A | N/A | 2.34# | ✓ | ✓ | ✓ |

Box Rake - PBU Panel




Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | DESCRIPTION | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-12 | Rake Trim | 10'-2" | 20 1/4" | 13.25# | ✓ | ✓ | ✓ |
| FL-12D | Rake Trim | 20'-2" | 20 1/4" | 26.50# | ✓ | ✓ | ✓ |
| FL-12A | Rake Ends | N/A | N/A | .13# | ✓ | ✓ | ✓ |
| FL-12C | Peak Box | N/A | N/A | 2.34# | ✓ | ✓ | ✓ |

Box Rake - 7.2 Panel




Note:

- Add \$7.62 per piece for mitered trim - Specify left or right

| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | DESCRIPTION | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-501 | Rake Trim | 10'-2" | 20" | 13.19# | ✓ | ✓ | ✓ |
| FL-501A | Rake Trim | 20'-2" | 20" | 25.55# | ✓ | ✓ | ✓ |
| FL-501B | Rake Ends | N/A | N/A | .13# | ✓ | ✓ | ✓ |
| FL-501D | Peak Box | N/A | N/A | 2.34# | ✓ | ✓ | ✓ |

Sculptured High Side Eave




Note:

- Specify roof slope
- Add \$7.62 per piece for mitered trim - Specify left or right
- Use with FL-15, FL-16 and FL-510 Sculptured Rake

| DESCRIPTION | | | | PRICED PER EACH | | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|--|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 | |
| FL-17 | 10'-2" | 20 3/4" | 13.68# | ✓ | ✓ | ✓ | |
| FL-17A | 20'-2" | 20 3/4" | 27.14# | ✓ | ✓ | ✓ | |


Eave Trim



Note:
• Specify roof slope.

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|--------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-19 | 10'-2" | 9 5/8" | 6.35# | ✓ | ✓ | ✓ |
| FL-19A | 20'-2" | 9 5/8" | 12.59# | ✓ | ✓ | ✓ |

Roll Form Downspout - Straight




Note:

- See MBCI Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Rustic Red, Desert Sand, Coffee Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|----------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| F-320 | 10'-6" | 17 9/16" | 11.96# | ✓ | ✓ | ✓ |
| F-313 | 14'-6" | 17 9/16" | 16.52# | ✓ | ✓ | ✓ |

Roll Form 72° Kickout




Note:

- See MBCI Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Rustic Red, Desert Sand, Coffee Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|-------------|--------|----------|-------------|-----------------|----------------|----------------|
| PART # | 72° KICKOUT | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| F-321 | Center | 1'-4" | 17 9/16" | 1.99# | ✓ | ✓ | ✓ |

Roll Form 45° Offset




Note:

- See MBCI Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Rustic Red, Desert Sand, Coffee Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-----------------------------------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| F-322 | 11" | 17 ⁹ / ₁₆ " | 1.14# | ✓ | ✓ | ✓ |

Roll Form 5° Offset




Note:


- See MBCI Color Chart for available colors
- Stocked colors are Polar White, Light Stone, Saddle Tan, Ash Gray, Burnished Slate, Rustic Red, Desert Sand, Coffee Brown and Charcoal Gray
- Stocked colors - 3 working days lead time
- Non-Stocked colors - Please inquire for lead time
- Available in 26 gauge only

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|------------------------------------|-----------------------------------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| F-323 | 1'-7 ¹ / ₂ " | 17 ⁹ / ₁₆ " | 2.37# | ✓ | ✓ | ✓ |

Roll Form Downspout Diagram




Downspout - Straight




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-31 | 10'-2" | 16 7/8" | 11.12# | ✓ | ✓ | ✓ |
| FL-31C | 12'-0" | 16 7/8" | 13.13# | ✓ | ✓ | ✓ |
| FL-31B | 14'-0" | 16 7/8" | 15.32# | ✓ | ✓ | ✓ |
| FL-31J | 16'-0" | 16 7/8" | 17.51# | ✓ | ✓ | ✓ |
| FL-31H | 20'-2" | 16 7/8" | 22.07# | ✓ | ✓ | ✓ |

Downspout with 45° Elbow




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-31A | 10'-2" | 16 7/8" | 11.12# | ✓ | ✓ | ✓ |
| FL-31D | 12'-0" | 16 7/8" | 13.13# | ✓ | ✓ | ✓ |
| FL-31E | 14'-0" | 16 7/8" | 15.32# | ✓ | ✓ | ✓ |
| FL-31I | 16'-0" | 16 7/8" | 17.51# | ✓ | ✓ | ✓ |
| FL-31G | 20'-2" | 16 7/8" | 22.07# | ✓ | ✓ | ✓ |

Downspout Elbow




| DESCRIPTION | | | | | | PRICED PER EACH | | |
|-------------|-------------|--------|---------|-------|-------------|-----------------|----------------|----------------|
| PART # | ELBOW ANGLE | LENGTH | GIRTH | GAUGE | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-32 | 45° | 7" | 16 7/8" | 26 | 1.32# | ✓ | ✓ | ✓ |
| FL-33 | 90° | 7" | 16 7/8" | 26 | 1.28# | ✓ | ✓ | ✓ |

Downspout Offset



| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-35 | 1'-2½" | 16⅞" | 1.32# | ✓ | ✓ | ✓ |

Offset Downspout




Note:

- Specify dimension "A" as building offset


| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|----------------|-------|---------------|-----------------|----------------|----------------|
| PART # | DIM "A" | GIRTH | WEIGHT PER LF | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-788 | 6" - 5'-0" | 16⅞" | .52# | ✓ | ✓ | ✓ |
| FL-789 | 5'-1" - 10'-0" | 16⅞" | .52# | ✓ | ✓ | ✓ |

Pig Spout Elbow




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-786 | 8" | 16⅞" | 1.27# | ✓ | ✓ | ✓ |

Scupper




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-40 | 4" | 8" | .17# | ✓ | ✓ | ✓ |

Downspout Strap




| DESCRIPTION | | | | | PRICED PER EACH | | |
|-------------|-------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | GAUGE | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-797 | 26 | 1" | 10" | .05# | ✓ | ✓ | N/A |
| FL-797 | 24 | 1" | 10" | .07# | ✓ | ✓ | ✓ |

Jamb Trim - PBR and Retro-R® Panels




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-22 | 7'-3" | 5" | 2.35# | ✓ | ✓ | ✓ |
| FL-23 | 10'-2" | 5" | 3.30# | ✓ | ✓ | ✓ |
| FL-23B | 12'-2" | 5" | 3.95# | ✓ | ✓ | ✓ |
| FL-23C | 14'-2" | 5" | 4.59# | ✓ | ✓ | ✓ |

Jamb Trim - PBU Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|--------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-20 | 7'-3" | 4 3/4" | 2.35# | ✓ | ✓ | ✓ |
| FL-21 | 10'-2" | 4 3/4" | 3.30# | ✓ | ✓ | ✓ |
| FL-21B | 12'-2" | 4 3/4" | 3.75# | ✓ | ✓ | ✓ |
| FL-21C | 14'-0" | 4 3/4" | 4.59# | ✓ | ✓ | ✓ |

Jamb Trim - 7.2 Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|--------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-516 | 7'-3" | 5 1/2" | 2.59# | ✓ | ✓ | ✓ |
| FL-516A | 10'-2" | 5 1/2" | 3.63# | ✓ | ✓ | ✓ |
| FL-516B | 14'-2" | 5 1/2" | 5.05# | ✓ | ✓ | ✓ |

Jamb Trim - AVP Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-47 | 7'-3" | 7" | 3.40# | ✓ | ✓ | ✓ |
| FL-48 | 10'-2" | 7" | 4.70# | ✓ | ✓ | ✓ |
| FL-48B | 12'-2" | 7" | 5.80# | ✓ | ✓ | ✓ |
| FL-48C | 14'-2" | 7" | 6.70# | ✓ | ✓ | ✓ |

Drip Trim - PBR and Retro-R® Panels




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|--------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-870 | 10'-2" | 7 5/8" | 5.03# | ✓ | ✓ | ✓ |
| FL-871 | 20'-2" | 7 5/8" | 10.68# | ✓ | ✓ | ✓ |

Head Trim - PBR, AVP and Retro-R® Panels




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|--------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-24 | 3'-6" | 5 5/8" | 1.28# | ✓ | ✓ | ✓ |
| FL-25 | 7'-1" | 5 5/8" | 2.58# | ✓ | ✓ | ✓ |
| FL-26 | 10'-4" | 5 5/8" | 3.80# | ✓ | ✓ | ✓ |
| FL-26B | 12'-4" | 5 5/8" | 4.65# | ✓ | ✓ | ✓ |
| FL-26C | 14'-4" | 5 5/8" | 5.41# | ✓ | ✓ | ✓ |

Head Trim - PBU Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-514 | 3'-6" | 5" | 1.20# | ✓ | ✓ | ✓ |
| FL-514A | 10'-4" | 5" | 3.63# | ✓ | ✓ | ✓ |
| FL-514B | 14'-4" | 5" | 5.17# | ✓ | ✓ | ✓ |

Head Trim - 7.2 Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-515 | 3'-6" | 6" | 1.33# | ✓ | ✓ | ✓ |
| FL-515A | 10'-4" | 6" | 4.02# | ✓ | ✓ | ✓ |
| FL-515B | 14'-4" | 6" | 5.77# | ✓ | ✓ | ✓ |

Head Trim - PBR, AVP and Retro-R® Panels



| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|--------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-850 | 3'-6" | 6 3/8" | 1.45# | ✓ | ✓ | ✓ |
| FL-851 | 7'-1" | 6 3/8" | 2.93# | ✓ | ✓ | ✓ |
| FL-852 | 10'-4" | 6 3/8" | 4.27# | ✓ | ✓ | ✓ |
| FL-853 | 12'-4" | 6 3/8" | 5.10# | ✓ | ✓ | ✓ |
| FL-854 | 14'-4" | 6 3/8" | 5.93# | ✓ | ✓ | ✓ |


Panel Starter - AVP Panel



Note:
• Two required per corner

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-46 | 10'-2" | 8 5/16" | 5.48# | ✓ | ✓ | ✓ |
| FL-46A | 12'-0" | 8 5/16" | 6.47# | ✓ | ✓ | ✓ |
| FL-46B | 14'-0" | 8 5/16" | 7.55# | ✓ | ✓ | ✓ |
| FL-46C | 16'-0" | 8 5/16" | 8.63# | ✓ | ✓ | ✓ |
| FL-46D | 20'-2" | 8 5/16" | 10.87# | ✓ | ✓ | ✓ |

Parapet High Eave Trim




Note:

- Specify roof slope or angle indicated on drawing
- Use with all Commercial/Industrial wall panels except 7.2 Panel

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-195 | 10'-2" | 14" | 9.80# | ✓ | ✓ | ✓ |

Parapet High Eave Trim




Note:

- Specify roof slope or angle indicated on drawing
- Use with all panels


| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-874 | 10'-2" | 12" | 7.91# | ✓ | ✓ | ✓ |
| FL-875 | 20'-2" | 12" | 15.69# | ✓ | ✓ | ✓ |

Parapet Rake - PBR Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-952 | 10'-2" | 14" | 9.23# | ✓ | ✓ | ✓ |
| FL-953 | 20'-2" | 14" | 19.60# | ✓ | ✓ | ✓ |

Parapet Rake - PBU Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-954 | 10'-2" | 14" | 9.80# | ✓ | ✓ | ✓ |
| FL-855 | 20'-2" | 14" | 19.60# | ✓ | ✓ | ✓ |

Parapet Rake - 7.2 Panel




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-525 | 10'-2" | 14" | 9.23# | ✓ | ✓ | ✓ |

2 x 2 Outside Angle




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-27 | 10'-2" | 5" | 3.30# | ✓ | ✓ | ✓ |

2 x 2 Inside Angle




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-28 | 10'-2" | 5" | 3.30# | ✓ | ✓ | ✓ |

3 x 3 Outside Angle




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-29 | 10'-2" | 7" | 4.70# | ✓ | ✓ | ✓ |

3 x 3 Inside Angle



| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-30 | 10'-2" | 7" | 4.70# | ✓ | ✓ | ✓ |


Flat Ridge Cap



Note:
• Specify roof slope.


| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-38 | 10'-2" | 24" | 15.82# | ✓ | ✓ | ✓ |
| FL-38A | 20'-2" | 24" | 31.39# | ✓ | ✓ | ✓ |

Masonry Flash




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-846 | 10'-2" | 11" | 7.70# | ✓ | ✓ | ✓ |
| FL-847 | 20'-2" | 11" | 15.40# | ✓ | ✓ | ✓ |

Window Sill Trim - Fixed Glass



| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-848 | 10'-2" | 6" | 3.96# | ✓ | ✓ | ✓ |


Jamb or Head Cap



Note:
• For use with 8" structural


| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-37 | 10'-2" | 13 3/8" | 8.65# | ✓ | ✓ | ✓ |

Sliding Door Hood




| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-45 | 10'-2" | 16 1/2" | 10.88# | ✓ | ✓ | ✓ |
| FL-45B | 12'-2" | 16 1/2" | 13.02# | ✓ | ✓ | ✓ |
| FL-45C | 14'-2" | 16 1/2" | 15.16# | ✓ | ✓ | ✓ |

Sliding Door Hood



| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-451 | 10'-2" | 19 1/4" | 13.43# | ✓ | ✓ | ✓ |


Standard Valley



Note:
• Specify roof slope

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|-------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-556 | 10'-2" | 26" | 17.80# | ✓ | ✓ | ✓ |
| FL-557 | 20'-2" | 26" | 25.70# | ✓ | ✓ | ✓ |


Extended Valley



Note:
• Specify roof slope

| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|---------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-558 | 10'-2" | 41 1/2" | 27.85# | ✓ | ✓ | ✓ |
| FL-559 | 14'-0" | 41 1/2" | 37.68# | ✓ | ✓ | ✓ |

Gutter Strap - Retro-R® / 7.2 Panels



| DESCRIPTION | | | | PRICED PER EACH | | |
|-------------|--------|--------|-------------|-----------------|----------------|----------------|
| PART # | LENGTH | GIRTH | WEIGHT EACH | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| FL-895 | 1'-0" | 3 1/8" | .25# | ✓ | ✓ | ✓ |

Trim Pricing:

1. Trim is 26 gauge material unless noted.
2. 24 gauge Galvalume® trim is available at additional cost.
3. 24 gauge Signature® 200 trim is available in standard colors as shown on the MBCI Color Chart at additional cost.
All other Signature® 200 colors are special order.
4. All trim in Signature® 300 and Signature® 300 Metallic is 24 gauge only.
5. Add \$8.00 per square for embossing.
6. When ordering standard trim in custom lengths, use price per linear foot for standard trim (10'-0") plus a 10% surcharge.
7. Prices **do not** include standard packaging.
8. Strippable film available for trim upon request. Add \$0.10 per square foot.

Packaging Cost:

- | | |
|--------------------------------------------------------------------|---------------------|
| 1. Trim with girth greater than 15" | 20 pieces/carton |
| 2. Trim with girth less than 15" | 50 pieces/carton |
| 3. Downspouts..... | 12/carton |
| 4. Standard Packaging: Cardboard with metal bands | \$3.44/linear foot |
| 5. LTL Packaging: Cardboard with wood blocks and metal bands | \$4.63/linear foot |
| 6. Plywood crating | \$17.05/linear foot |
| 7. Paper wrap only (For customer pick-up only) | \$12.00 |
| 8. Minimum packaging charge | \$30.00 |
| 9. Minimum crating charge | \$75.00 |
| 10. Special packaging | Please Inquire |

Delivery:

1. 26 gauge stock colors (see MBCI Color Chart) ..Contact your local Customer Service Representative for lead times.
2. Other gauges, colors and metalsContact your local Customer Service Representative for lead times.

Price Your Own Special Trim:

1. Calculate the number of square feet of material (girth x length).
2. Multiply number of square feet by the appropriate square foot price (see chart below).
3. Add \$1.60 for each break and \$3.20 for each hem.
4. Add appropriate packaging costs.
5. Specify the side with the color or finished coat.
6. Send sketch of the special flashing to with order.
7. If more than one special trim is required, number them SF1, SF2, SF3, etc.

| DESCRIPTION | PRICED PER EACH | | |
|-------------|-----------------|----------------|----------------|
| GAUGE | GALVALUME PLUS® | SIGNATURE® 200 | SIGNATURE® 300 |
| 26 | ✓ | ✓ | Please Inquire |
| 24 | ✓ | ✓ | ✓ |



mbci.com

Contact Us:

Houston, TX: 281.407.6915
Adel, GA: 888.514.6062
Atlanta, GA: 678.337.1619
Atwater, CA: 209.445.3891

Indianapolis, IN: 317.364.4329
Lubbock, TN: 806.224.2724
Oklahoma City, OK: 405.492.6968
Phoenix, AZ: 480.630.3022

Rome, NY: 315.371.4330
Salt Lake City, UT: 385.715.2952
San Antonio, TX: 210.888.9768